BUREA	.ND M	HE INTERIOR IANAGEMENT		Il Cons. Division and Serial No.
Do not use this form for proposals to drill or	r to deep	EPORTS ON WELLS en or reentry to a different IIT—" for such proposals	_	
SUBMIT 1. Type of Well Gas Oit Gas Well Other 2. Name of Operator Other DEVON ENERGY PRODUCTION COMPA 3. Address and Telephone No. 20 NORTH BROADWAY, SUITE 1500, OK 4. Location of Well (Footage. Sec., T., R., M., or Survey I 934' FSL & 2291' FEL, Section 4-18S-27#, U	NY, LP.	PECU 000 / CITY, OKLAHOMA 73102 (40	IVED ARTESIA	 7. If Unit or CA, Agreement Designation 8. Well Name and No. Windfohr 4 Federal #5 9. API Well No. 30-015-30415 10. Field and Pool, or Exploratory Area Red Lake; Glorieta-Yeso, NE 11. Countries Datish State
CHECK APPROPRIATE BOX(s) TO IN	DICATE NATURE OF N	IOTICE, RE	EPORT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTIO	
 Notice of Intent Subsequent Report Final Abandonment Notice 		 Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Well Control Equipm 	<u>tent</u>	 Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The original Application for Permit to Drill, Form 3160-3, was approved on 9/24/98. In addition, a one year extension was granted in 1999, ending in 9/2000 and again in 2000, ending in 9/2001 for a proposed surface casing depth of 1150'. Due to adverse down-hole conditions encountered on recently drilled wells in the field, Devon requests to amend the surface casing setting depth to 1300'. Cement will be circulated to surface.

The original APD for this well allows for the use of a single annular preventer tested to 1000 psi with the rig pump. Devon Energy plans to utilize this type of well control system and provides the following supporting information.

Recent bottom hole pressure data obtained in Sections 3 & 4 - 18S-27E, of Eddy County from offset producing wells, indicate that the bottom hole pressure at total depth in the Yeso formation for the proposed well is 700-800 psi. Our drilling contractor, United Drilling Co., has worked in the Red Lake field for other operators using the same BOP system without incident. The rig substructure is only capable of supporting a single annular preventer and not a double ram system.

14. I hereby certify that the foregoing is true and correct Signed	Title	Jim Linville Sr. Operations Engineer	Date	2/27/01
(This space for Federal or State office use) Approved by (ORIG. SGD.) ALEXIS C. SWOBODA Conditions of approval, if any:	Title_	PETROLEUM ENGINEER	Date	MAR 0 5 2081
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfu to any matter within its jurisdiction.		o any department or agency of the United States any fa uction on Reverse Side	lse, fictit	tious or fraudulent statements or representation