```
1-31-2000

PLATFORM EXPRESSIAZIMOTHAL LATEROLOG

MARO-CFL/GAMMA RAY

2,993'- 9,760' (11-5-99) separate log

9,766'- 11,147' (11-17-99) separate log

PLATFORM EXPRESSITRIPLE DETECTOR.

LITHO-DENISITY/COMPENISATED NEUTRON IGR

2,993'- 9,748' (11-5-99) separate log)

9,766'- 11,152' (11-17-99) separate log)
```

Form 3150-5 (August, 1999)

UNIT STATES DEPARTMEN'I OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD

FORM APPROVED OMB No. 1004-0135 CIST

Expires: November 30, 2000

5.	Lease	Serial	No.

CHADDY MORIGING AND DEPOSIT	J. Lease Serial No.
SUNDRY NOTICES AND REPORTS ON WELL	1111111010
Do not use this form for proposals to drill or to re-enter abandoned well. Use Form 3160-3 (APD) for such propo	an 6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE - Other Instructions on reverse	7. If Unit or CA/Agreement, Name and/or No.
Type of Well	1020
Oil Well X Gas Well Other	21222324.38. Well Name and No.
. Name of Operator	Loco Hills 4 Fed Com #1
Dominion Oklahoma Texas E & P Inc.	8. Well Name and No. Loco Hills 4 Fed Com #1 API Well No. 20 045 20200
	Rephyde area code) 30-015-30723
4000 QUAIL SPGS PKWY, OKLA CITY, OK 73134 / \$205-72/99	1300 VED 119. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey Description)	
	Undesignated Empire Morrow
670' FNL & 1650' FEL, (SW/4 NE/4) Sec. 4-18S-29E	11. County or Parish, State
	Eddy Co., NM
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE C	DE NOTICE PEPOPT OF OTHER DATE.
TVPE OF CUDMICCION	** · · · · · · · · · · · · · · · · · ·
Notice of Intent	YPE OF ACTION
Deepen	Production (Start/Resume) Water Shut-Off
Subsequent Report Casing Repair New Construction	Reclamation Well Integrity
Subsequent Report Casing Repair New Construction Change Plans Plug and Abando	
Final Abandonment Notice Convert to Injection X Plug Back	on Temporarily Abandon Water Disposal
following completion of the involved operations. If the operation results in a multiple completed has been completed. Final Abandonment Notices shall be filed only after all requirement that the site is ready for final inspection.) Set CIBP @ 10,855', dump bail 35' of cement on plug. Cut off 4 to 8,000'. Perforate Cisco Lime 9,054' - 9,091'. Stimulate Cisco	1 1/2" csq @ 9 610' and pull. Dury CDL (
I hereby certify that the foregoing is true and correct	
Name (Printed/Typed) Carla Christian	
	Title Regulatory Specialist
ignature / Cilla Unistian	Date September 17, 2002
THIS SPACE FOR FEDERAL OR STA	ATE OFFICE USE
roved by (ORIG. SGD.) ALEXIS C. SWOBODA	TitlPETROLEUM ENGINEER Date SEP 10 2
nditions of approval, if any, are attached. Approval of this notice does not warrant or tify that the applicant holds legal or equitable title to those rights in the subject leas ch would entitle the applicant to conduct operations thereon.	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.