

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE


N.M. Conservation Division
811 S 1st Street
Artesia, NM 88210-2834
OMB NO. 1004-0137
February 28, 1995
LEASE DESIGNATION: LC 029415 A

CISF

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
b. TYPE OF COMPLETION: New WELL ☒ Work over ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR W. A. & E. R. Hudson Inc.		8. FARM OR LEASE NAME, WELL NO Puckett "A" WH #2	
3. ADDRESS AND TELEPHONE NO. 616 Texas Street, Ft. Worth, TX 76102 817-336-7109		9. API WELL NO. 30 015 31082	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1330' FNL & 10' FWL At top prod. Interval reported below At total depth		10. FIELD AND POOL, OR WILDCAT Maljamar Grayburg/San Andres	
14. PERMIT NO.		12. COUNTY OR PARISH Eddy	
DATE ISSUED		13. STATE NM	
15. DATE SPUDDED 11/06/2000	16. DATE T.D. REACHED 11/15/2000	17. DATE COMPL. (Ready to prod.) 02/05/2001	18. ELEVATIONS (or, DF, RKB, RT, GIR, ETC.) 3901' KB
20. TOTAL DEPTH, MD & TVD 4052'	21. PLUG. BACK T.D., MD & TVD 3670'	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY
24. PRODUCING INTERVAL(S). OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)* Grayburg/San Andres			25. WAS DIRECTIONAL SURVEY MADE
26. TYPE ELECTRIC AND OTHER LOGS RUN GR			27. WAS WELL CORED N/A

28. CASING RECORD (Report all strings set in well)					
CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8 5/8"	J-55 24#	636'	12 1/4"	415 sx cem 76 sx to surface	
5 - 1/2"	J-55 17#	4007'	7 7/8"	1610 sx cem did not circ	
29. LINER RECORD					
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	
30. TUBING RECORD					
SIZE	DEPTH SET (MD)	PACKER SET (MD)			
31. PERFORATION RECORD (Interval, size and number)			32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC		
3588' - 96'; 3602' - 06'; 3667' - 69'; 3700' - 16'; 3792' - 94'; 3786' - 90'; 3779' - 81'; 3774'; 3770'; 3764' - 66'; 3759' 2 SPF; 2895' 4 SPF; 3294' - 3460' 2 SPF;			DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED		
			3759' - 3574' frac w/3000 gals acid 15% NE FE HCL		
			3588' - 3606' 18,500 gals gel 39,000 16/30 sand		
			3294' - 3460' frac w 3700 gals acid 32,466 gals 25# gel		
			45,000# 16/30 Brady sand		

33.* PRODUCTION							
DATE FIRST PRODUCTION 02/05/2001		PRODUCTION METHOD (Flowing, gas lift, Pumping-size and type of pump) Pumping				WELL STATUS (Producing or shut-in)	
DATE OF TEST 02/26/2001	HOURS TESTED 24hrs	CHOKE SIZE N/A	PROD'N. FOR TEST PERIOD →	OIL-BBL. 14	GAS-M CF. 12	WATER-BBL. 73	GAS-OIL RATIO 0.86
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL-BBL.	WATER-BBL.	OIL GRAVITY-API (CORR.)		
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold							
35. LIST OF ATTACHMENTS Deviation Test							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED 		TITLE Geologist			DATE 03/07/2001		

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH

WELL NAME AND NUMBER Puckett "A" WH No. 2
LOCATION 1330' FNL & 10' FWL, Section 24, T17S, R31E, Eddy County NM
OPERATOR W.A. & E.R. Hudson, Inc.
DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>
<u>1/4° 497'</u>	<u> </u>	<u> </u>
<u>1/2° 1007'</u>	<u> </u>	<u> </u>
<u>1/2° 1504'</u>	<u> </u>	<u> </u>
<u>3/4° 2001'</u>	<u> </u>	<u> </u>
<u>1/2° 2503'</u>	<u> </u>	<u> </u>
<u>1/4° 3000'</u>	<u> </u>	<u> </u>
<u>1/2° 4052'</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

Drilling Contractor United Drilling, Inc.

By: *Angel Salazar*
Angel Salazar

Title: Vice President

Subscribed and sworn to before me this 17th day of November,
2002.

Karna Jankensky
Notary Public

My Commission Expires: 9-25-2003

Chaves *NM*
County State