

N

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE.


AREA 640 ACRES  
LOCATE WELL CORRECTLY

Pecos Valley Gas Company      Artesia, New Mexico  
Company or Operator      Address  
Wilson State      Well No. 1      in NE      of Sec. 5      T. 19 S  
Lease  
R. 26 E      N. M. P. M.      Artesia      Field,      Tady      County.  
Well is      feet south of the North line and      feet west of the East line of  
If State land the oil and gas lease is No. B-2217      Assignment No.       
If patented land the owner is      Address  
If Government land the permittee is      Address  
The Lessee is J. F. Wilson      Address Artesia, New Mexico  
Drilling commenced January 1      19 34      Drilling was completed January 2      19 34  
Name of drilling contractor Pecos Valley Gas Co.      Address Artesia, New Mexico  
Elevation above sea level at top of casing      feet.  
The information given is to be kept confidential until      19     

## OIL SANDS OR ZONES

No. 1, from 705      to 715      No. 4, from      to  
No. 2, from      to      No. 5, from      to  
No. 3, from      to      No. 6, from      to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 215      to 220      feet.  
No. 2, from      to      feet.  
No. 3, from      to      feet.  
No. 4, from      to      feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 1/2	23	10		241	Short	214			
6 5/8	24	10		227	Long				

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
6 5/8	6 5/8	227			Heavy	30'

## PLUGS AND ADAPTERS

Heaving plug—Material      Length      Depth Set  
Adapters—Material      Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from      feet to      feet, and from      feet to      feet  
Cable tools were used from surface      feet to 715      feet, and from      feet to      feet

## PRODUCTION

Put to producing      19       
The production of the first 24 hours was      barrels of fluid of which      % was oil;      %  
emulsion;      % water; and      % sediment. Gravity, Be  
If gas well, cu. ft. per 24 hours 230 M      Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in. 220

## EMPLOYEES

W. W. Witt      Driller      H. J. Wise      Driller  
L. E. Neeley      Driller           Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 12th      Place      Date  
day of March      19 34      Name J. F. Wilson  
SEAL      Position District Manager  
Carmel Jackson      Representing Pecos Valley Gas Company  
Notary Public

# FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	13		Caliche
13	178		Red bed
178	200		Red mud
200	240		Sand & Gravel
240	261		Anhy
261	281		Red bed
281	310		Gyp and shale
310	325		Gyp
325	336		Red bed
336	364		Gyp
364	381		Red rock
381	452		Gyp and red bed
452	462		Line and anhy
462	485		Gyp and anhy
485	490		Blue shale
490	557		Gyp
557	565		Blue shale
565	583		Red bed
583	640		Gyp
640	665		Blue and white shale
665	705		Gyp, anhy
705	715		Sand
715	718		Gyp
718			Total depth