## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

3 **V** .,

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

ns. If ch mit this s of the	Commissio		ada Yan	Merico		June	lst. 1953		
		AF.G.	(Place)	FIEAL GU					
	ERVATION, NEW M		MISSION			30	-015-02195		
tlemen:									
You ar					(Drilling) (Recompletion	of a well to be know	vn as		
••••••	non	Ange	<b>3</b>	(Company o	r Operator)		7		
State		(Lease)	, Well No		, in(Ur	The well i			
ted <b>9</b>									
Ç	outh			line of Section	7, T19S	, R <b>28E</b>	, NMPM.		
			SECTION LIN	E) Artesia If State Land the Oil and	Pool, I Gas Lease is No	Eddy - 10368	Count		
D	С	В	A	-	ner is				
				We propose to drill well	with drilling equipment as	follows:Cab	le Tools		
E	F	G	Н	to approximately 3000!  The status of plugging bond is filed herewith					
L	к	J	0	Drilling Contractor S. P. Yates Drilling Company					
			<u> </u>						
M We pro	N Propose to u	O see the fo	P llowing strings o	formation at an approxi	this well in the <b>Grayb</b> e mate depth of <b>2200</b> .	org Sand or	San Andres		
We pro		ise the fo		formation at an approxi	this well in the <b>Grayb</b> e mate depth of <b>2200</b> .	org Sand or	San Andres		
We pro	opose to u	ise the fo	llowing strings o	formation at an approxi  CASING F  f Casing and to cement the	this well in the <b>Grayb</b> mate depth of <b>2200</b> . ROGRAM em as indicated:	org Sand or or 2800! re	San Andres San Andres San San Andres San		
We prosize of the state of the	opose to u of Hole	ise the fo	llowing strings o  Size of Casing  \$ 5/811  plans become ac	formation at an approxi  CASING F  Gasing and to cement th  Weight per Foot  24#	this well in the Graybe mate depth of 22001. ROGRAM em as indicated: New or Second Hand	or 2800 re	San Andres espectivelyfe		
We provide the street of the s	opose to use of Hole  1/4  Inges in the TIONAL  follows:	ase the fo	B 5/8#  Plans become ac MATION (If	formation at an approxi  CASING F f Casing and to cement th  Weight per Foot  24#  divisable we will notify you recompletion give full determined.	this well in the Graybe mate depth of 22001.  ROGRAM em as indicated:  New or Second Hand  New  immediately.	or 2800 re	San Andres Sapectively fee		
We provide the state of the sta	opose to use of Hole  1/4#  Inges in the TIONAL  follows:  necessing on units	ase the fo	Blowing strings of Size of Casing  8 5/8#  plans become ac MATION (If a string)  1 1/50 000	formation at an approxi  CASING F f Casing and to cement th  Weight per Foot  24#  dvisable we will notify you recompletion give full det  to 5001 lks to shut	his well in the Graybe mate depth of 22001.  ROGRAM em as indicated:  New or Second Hand  New  immediately.  sails of proposed plan of very second	Depth 350  Or. Angle Operator  Company Operator	San Andres spectivelyfee		
We provide the state of the sta	opose to use of Hole  1/4#  Inges in the TIONAL  follows:  necessing on units	ase the fo	B 5/8#  Plans become ac MATION (If	formation at an approxi  CASING F f Casing and to cement th  Weight per Foot  24#  dvisable we will notify you recompletion give full det  to 5001 lks to shut	chis well in the Graybe mate depth of 22001.  ROGRAM em as indicated:  New or Second Hand  New  immediately.  cails of proposed plan of very second plan of very secon	Depth 350  Or. Angle Operator  Company Operator  Manufacture Communications regard	San Andres spectivelyfee  Sacks Cement  50  ing well to		
We provide the state of the sta	opose to use of Hole  1/4#  Inges in the TIONAL  follows:  necessing on units	ase the fo	Blowing strings of Size of Casing  8 5/8#  plans become ac MATION (If a string)  1 1/50 000	formation at an approxi  CASING F f Casing and to cement th  Weight per Foot  24#  dvisable we will notify you recompletion give full det  to 5001 lks to shut	his well in the Graybe mate depth of 22001.  ROGRAM em as indicated:  New or Second Hand  New  immediately.  sails of proposed plan of very second	Depth 350  Or. 2800 Pro Or. 280	San Andres spectivelyfe  Sacks Cement  50  ing well to		

CLASS OF SERVICE This is a full-rat Telegram or Cable-gram unless its de-ferred character is in-

dicated by a suitable symbol above or pre-ceding the address.

SYMBOLS

DL=Day Letter

NL=Night Letter

The filing time shown in the data line on talegroups and day letters is STANDARD TIME at point of origin. Time of receipt is STANDARD TIME at point of destination

LA20 SSJ107 L.SNAO45 PD=SANTAFE NMEX 10 934A=

1953 JUN 10 AM, 10 30

L A HANSON=

OIL CONSERVATION COMMISSION 205 CARPER BLDG ARTESIA NMEX=

DON ANGLE BOND COVERING NE SE X-198-28E RECEIVED APPARENTLY OK FORMAL APPROVAL WILL FOLLOW=

:W B MACEY=

THE SUGGESTIONS FROM ITS PATRONS CONCERNING ITS SERVICE

			· 4	<b>1</b>
and the second s				
			**************************************	# 1 m
		4	, and the state of	
		•	, and the second	•
		•		
The state of the s	•			
•				
•		•	•	
		•	a de la companya de l	
		·	4 -	 
	·		•	
	•			
			. • <u>.</u>	
		•	. • 3	
			9	
- -	•		-	•
			9	. •
			·	