

N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

F. W. & Y. Oil Company

Artesia, New Mexico

Company or Operator

Address

State

Well No. 71

in NE

of Sec. 10

T. 19

Lease

R. 28

N. M. P. M.

Artesia

Field,

Eddy

County.

Well is _____ feet south of the North line and _____ feet west of the East line of _____

If State land the oil and gas lease is No. 648 Assignment No. _____

If patented land the owner is _____ Address _____

If Government land the permittee is _____ Address _____

The Lessee is F. W. & Y. Oil Company Address Artesia, New Mexico

Drilling commenced November 13 19 34 Drilling was completed March 29 19 35

Name of drilling contractor _____ Address _____

Elevation above sea level at top of casing _____ feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 1/4"				570'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		180 qts of	nitro-glycerin used.			

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____, 19 _____

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ %

emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

W. N. Welch _____ Driller _____ Driller

J. W. Kennedy _____ Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 9th

Place

Date

day of May 19 35

Name V. S. Welch

SEAL

Position President

H. W. Clady

Representing F. W. & Y. Oil Company

Notary Public

Company or Operator

Commission expires January 27, 1938

Address Artesia, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	25		Gyp
25	160		Red sand
160	175		Gumbo
175	190		Red sand
190	215		Gyp
215	220		Gray sand
220	230		Gumbo
230	300		Red sand and mud
300	420		Gyp
420	555		Salt
555	595		Anhy
595	600		Blue shale
600	715		Gyp and anhy
715	730		Gray lime
730	820		Gyp
820	830		Gray sand
830	995		Gyp and shale
995	1005		Lime
1005	1010		Shale
1010	1045		Lime
1045	1445		Anhy
1445	1480		Red sandy shale
1480	1605		Anhy and lime
1605	1645		Red sand
1645	1755		Anhy and lime
1755	1825		Lime
1825	1850		Gray sand
1850	1875		Red shale
1875	1890		Anhy and shale
1890	1905		Lime
1905	1915		Gray sand
1915	1950		Gas
1950	2085		Lime
2085			Total depth