

NUMBER OF COPIES RECEIVED		5
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
TRANSPORTER	OIL	
	GAS	
PRODUCTION OFFICE		
OPERATOR		

(Form C-102)
(Revised 7/1/62)

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) Re-enter	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hobbs, New Mexico
(Place)

11-11-63
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the
Sunray DX Oil Company **N.M. State '0'**
Well No. **4** in **M** (Unit)
SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. **13**, T. **19S**, R. **28E**, NMPM, **E. Millman Queen-Cragburg** Pool
(40-acre Subdivision) **Eddy** County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

- This well has been plugged & abandoned with 8 5/8" csg set @ 422' & cemented w/250 ax (cric) cement. Plugged as follows: 10 ax plug @ surface; 10 ax plug at 422'; 10 ax plug @ 595'-625'; 25 ax plug @ 1750'-1825'; 30 ax plug @ 1900'-2000'; 10 ax plug 2170'-2200'. TD 2222'.
- We propose to drill cement plugs and wash hole to 2222'. Run and cemented 4 1/2" csg to TD 2222'. Perf from 2212-14'; 2198'-2200'; 2184'-86'; 2175'-77'; 1933'-35'; 1925'-27'; 1916'-18'; 1864'-66'; 1852'-54'; 1798'-1800'; 1793-95'; and 1784'-86'.
- Frac w/40,000 gal refined oil & 120,000#s sand in 4 stages.
- Run tubing rods and pump and put well on production. Take potential test.

RECEIVED

NOV 13 1963

O. C. C.
ARTESIA, OFFICE

Approved **NOV 13 1963**, 19_____
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By **M. L. Armstrong**
OIL AND GAS INSPECTOR
Title _____

Sunray DX Oil Company

Company or Operator

By **V. R. Mayabb**

Position **District Engineer**

Send Communications regarding well to:

Name **C. T. McGlanahan**

Address **Box 128, Hobbs, New Mexico**