

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form G-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

OIL SANDS OR ZONES

IMPORTANT WATER SANDS

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8"	24#	USED	303'				25 SAX
4 1/2"	15#		2143'			1786-1902, 1904-16, 1936-70	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10"	6 5/8"	303'	25 SXX	HYDRO		
6"	4 1/2"	2145'	85 SXX	HYDRO		

RECORD OF PRODUCTION AND STIMULATION

Result of Production Stimulation.

Dent Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
Cable tools were used from.....feet to.....feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing....., 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....	
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....	
B. Salt.....	T. Montoya.....	T. Farmington.....	
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....	
T. 7 Rivers.....	T. McKee.....	T. Menefee.....	
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....	
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....	
T. San Andres.....	T. Granite.....	T. Dakota.....	
T. Glorieta.....	T.	T. Morrison.....	
T. Drinkard.....	T.	T. Penn.....	
T. Tubbs.....	T.	T.	
T. Abo.....	T.	T.	
T. Penn.....	T.	T.	
T. Miss.....	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	30	30	caliche & gyp	1317	1343	26	lime & shale
30	50	20	red sand	1343	1360	17	lime & red rock
50	115	65	sand	1360	1430	70	lime
115	140	25	red bed	1430	1475	45	broken lime
140	303	163	anhy	1475	1490	15	lime
303	360	57	anhy & red breaks	1490	1530	40	red sand
360	430	70	potash	1530	1641	111	lime
430	470	40	anhy	1641	1670	29	sandy shale
470	489	19	anhy & lime	1670	1675	5	sandy, red rock
489	565	76	anhy	1675	1695	20	lime
565	605	40	lime	1695	1730	35	sand and anhy
605	610	5	shale	1730	1775	45	anhy and red rock
610	640	30	lime	1775	1790	15	hard gray lime
640	690	50	anhy & shale	1790	1805	15	black lime
690	760	70	anhy	1805	1835	30	lime
760	820	60	anhy & red rock	1835	1850	15	gray lime(hard)
820	835	15	anhy	1850	1874	24	black lime
835	919	84	anhy & lime	1874	1899	25	lime
919	1030	111	anhy	1899	1902	3	hard black lime
1030	1065	35	lime & anhy	1902	1914	12	black lime
1065	1179	114	anhy	1914	1941	27	lime
1179	1199	20	lime, dolom.	1941	1958	17	black lime
1199	1265	66	anhy & lime	1958	1962	4	sandy lime
1265	1305	40	anhy	1962	1975	13	gray lime
1305	1317	12	lime	1975	1983	8	brown lime

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

STANLEY L. JONES
Company or Operator.....
Name.....
Address.....
Position or Title.....
April 9, 1957
(Date)
Secretary

Vol. N. 1 Cont.
Stanley L. Jones

1983	1984	1	gray line
1984	2011	27	gray sandy line
2011	2035	24	gray line
2035	2040	5	hard gray line
2040	2054	14	sandy line
2054	2076	22	gray line
2076	2093	17	line
2093	2097	4	gray line
2097	2120		gray sand
2120	2126	6	gray sandy line
2126	2133	7	gray line
2133	2140	7-	sandy line
2140	2151	11	gray line
2151	2158	7	sandy line
2158	2161	3	line

T.B. 2161'