

NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

GARY E. JOHNSON

Governor

Betty Rivera

Cabinet Secretary

Lori Wrotenberg

Director

Oil Conservation Division

Field Inspection Program

'Preserving the Integrity of Our Environment'

08-Aug-02

PRAIRIE SUN, INC.

3103 YESO RD

PO BOX 8280

ROSWELL NM 88201-

Dear Operator:

The following inspection(s) indicate one or more violations as described in the detail section below. The inspection(s) indicates that the well, equipment, location or operational status failed to meet standards of the New Mexico Oil Conservation Division. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section below indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division.

Please notify the proper district office of the Division of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

Please be advised that failure to comply with this directive will result in an application for an order to Show Cause why the Bond should not be forfeited, the well plugged and civil penalties assessed.

INSPECTION DETAIL SECTION

CONNIE C STATE 002

H-25-19S-28E

30-015-02301-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/01/2002	Routine/Periodic	Mike Bratcher	Yes	No	9/2/2002	iMLB0221345967
Comments on Inspection:		Well sign lists Sure Energy as operator. Violation Rule 103. Some contamination at wellhead. PJ-Oper.				

CONNIE C STATE 017

D-25-19S-28E

30-015-02302-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/01/2002	Routine/Periodic	Mike Bratcher	Yes	No	9/2/2002	iMLB0221349804
Comments on Inspection:		Well sign lists incorrectly lists Sure Energy as operator. Violation Rule 103. Some contamination at well head.				

CONNIE C STATE 001

G-25-19S-28E

30-015-25366-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/01/2002	Routine/Periodic	Mike Bratcher	Yes	No	9/5/2002	iMLB0221346694
Comments on Inspection:		Well sign does not list correct operator. Violation Rule 103. Other violations on this well have been turned over to OCD Environmental.				

1/17/03
NIC

1/17/03
NIC

1/17/03
NIC