


RECEIVED
OCT 28 1949

FORM C-105

N

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

Oil Cons. Comm.
Artesia Office



AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Robert E. McKee
Company or Operator
McKee-McGowan
Well No. 1 in SE 1/4 of Sec. 3, T. 19 S. R. 29 E., N. M. P. M., Turkey Track Field, Eddy County.
Well is 330 feet north of the north line and 2310 feet east of the east line of Section 3.
If State land the oil and gas lease is No. B-7950 Assignment No. 19
If patented land the owner is
If Government land the permittee is
The Lessee is Robert E. McKee Address El Paso, Texas
Drilling commenced August 21 1949 Drilling was completed October 9 1949
Name of drilling contractor D. A. Miller Address Artesia, New Mexico
Elevation above sea level at top of casing feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 1395 to 1405 No. 4, from 2522 to 2530
No. 2, from 1615 to 1631 No. 5, from to
No. 3, from 2190 to 2195 No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8-5/8"	32	10		329'	Larkin				
7"				1556'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
8"	7"	1556'	100	Ballston		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters — Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
100 qt.	#F-32354	Pomb	1	9/30/49	2186-2207	

Results of shooting or chemical treatment No increase in oil from shooting well. First acid treatment acid lost in well. Acid recovered by washing with 300 gals. kero. & 500 gals. acid.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from surface feet to total feet, and from feet to feet

PRODUCTION

Put to producing 19
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be.
If gas well, cu. ft. per 24 hours. Gallons gasoline per 1,000 cu. ft. of gas.
Rock pressure, lbs. per sq. in.

EMPLOYEES

J. Nellis Driller Carl Jorren Driller
A. G. Fred Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 27th day of October 1949

Notary Public

My Commission expires June 10, 1953

Artesia, New Mexico October 27, 1949

Name

Position Manager of Oil Production

Representing Robert E. McKee Company or Operator

Address Box 246, Artesia, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	10	10	Sand
10	50	40	Red bed
50	60	10	Gravel
60	85	25	Red bed
85	105	20	Red bed
105	115	10	Gyp
115	130	15	Anhydrite
130	240	110	Red bed
240	255	5	Gyp
255	290	45	Red bed
290	300	10	Anhydrite
300	310	10	Salt and potash
310	975	665	Salt
975	1517	542	Anhydrite
1517	1542	25	Anhydrite and grey sand
1542	1562	20	Anhydrite
1562	1590	28	Anhydrite-Red sand and grey sand
1590	1598	8	Dolomite and red shale
1598	1602	4	Dolomite and red shale
1602	1609	7	Dolomite, red shale and grey shale
1609	1615	6	Dolomite and shale
1615	1622	7	Dolomite
1622	1631	9	Dolomite
1631	1645	14	Dolomite and shale
1645	1655	10	Dolomite - shale and sand
1655	1660	5	Dolomite and shale
1660	1715	55	Dolomite
1715	1731	16	Anhydrite
1731	1755	24	Dolomite
1755	1998	243	Dolomite and anhydrite
1998	2011	13	Anhydrite and red sand
2011	2017	6	Dolomite and anhydrite
2017	2025	8	Dolomite, anhydrite and red sand
2025	2055	30	Dolomite
2055	2077	22	Dolomite and anhydrite
2077	2112	35	Dolomite
2112	2132	20	Dolomite, anhydrite and sand
2132	2142	10	Dolomite and anhydrite
2142	2168	26	Dolomite
2168	2180	12	Dolomite and grey sand
2180	2195	15	Dolomite and grey sand
2195	2209	14	Grey sand
2209	2239	30	Dolomite
2239	2249	10	Dolomite and sandy shale
2249	2258	9	Dolomite - grey shale and red sand
2258	2267	9	Dolomite
2267	2329	62	Dolomite and shale
2329	2470	141	Dolomite - shale and sand
2470	2504	34	Dolomite and sand
2504	2587	83	Dolomite
2587	2603	16	Dolomite and sand
2603	2638	35	Dolomite and shale
2638	2670	52	Dolomite
T. D.			