

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in OUINTUPLICATE.

LOCATE WELL CORRECTLY POWELL STANDARD OF GENERAL CORRECTLY POWELL STANDARD OF GENERAL CORRECTLY Well No. 1		1 1 1		of the Comm	assion. Submit in	QUINTUPLIC.	AIE.	
Tell No. 1	LOCA						144	
Cell No. 1	PO	While and	1 STEWART			••••	Stall	
Turkey Track Pool, Sedy Commenced Septembers If State Land the Oil and Gas Lease No. is R. 8096 Filling Commenced July 30 , 1953 Drilling was Completed Septembers 10 , 19 ame of Drilling Contractor Co. Tools ddress. Artesis; New Mexico; levation above sea level at Top of Tubing Head X The information given is to be kept confidential 19 OIL SANDS OR ZONES O. 1, from 1616								den ma
Cell is 1850 feet from South line and 2110 feet from Fest Section 1.A. 295, 29B If State Land the Oil and Gas Lease No. is 18 -8096 rilling Commenced July 30 , 1953 Drilling was Completed September 10 , 19 ame of Drilling Contractor. Co. Tools ddress. Artesis, New Mexico. levation above sea level at Top of Tubing Head. X The information given is to be kept confidential , 19. OIL SANDS OR ZONES o. 1, from 1616 to 1670 No. 4, from to 10. o. 2, from 2209 to 2278 No. 5, from to 10. IMPORTANT WATER SANDS sclude data on rate of water inflow and elevation to which water rose in hole. o. 1, from 1652 to 1655 feet 500 to 1655 feet 500 to 4, from to 1655 feet 500 to 4, from 16 feet 16 feet 17 feet								
Section 1.0. 295, 29E If State Land the Oil and Gas Lease No. is B. 8096 rilling Commenced. July 30. 1953 Drilling was Completed. September 10. 19. ame of Drilling Contractor. Go. 70018 ddress. Artesia, New Mexico. levation above sea level at Top of Tubing Head. The information given is to be kept confidential 19. OIL SANDS OR ZONES O. 1, from 1616 to 1670 No. 4, from to 10. O. 2, from 2209 to 2278 No. 5, from 10. IMPORTANT WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole. O. 1, from 1652 to 1655 feet 500 O. 3, from 10. CASING RECORD SIZE WENGET NEW OR AMOUNT KIND F CUIT AND FERFORATIONS FURFOSE 84 32 U 305 TOKAGE P 200 MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD SEES OF SEES OF SEES OF OF CEMENT WEND GRAVITY MID USED MUDDING AND CEMENTING RECORD								
1953 Drilling was Completed September 10 19 19 19 19 19 19 19								
ame of Drilling Contractor		•						
ddress								_
Dil Sands or zones Sands								
OIL SANDS OR ZONES O. 1, from 1616 to 1670 No. 4, from to to 2278 No. 5, from to to 2278 No. 5, from to to 2278 No. 6, from to No. 1 to No. 6, from to No. 1 to No. 6, from to No. 1, from 175 to 180 feet to 1655 feet 500 to 3, from to 1652 to 1655 feet 500 to 4, from to No. 6, from No. 6, from No. 3, from to No. 6, from No. 6								
1, from 1616						IIIC III	tornization given is to	be kept confidential t
1, from 1616				0.5	r ganng an Z			
10		2626						·
IMPORTANT WATER SANDS				• •				
IMPORTANT WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole.								
New OR	o. 5, irom	•••••	to	······	No. b	irom	to	
175 10 180				IMPOR	LTANT WATER	SANDS		
1652 to 1655 feet 500								
CASING RECORD CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 81 32 II 305 TOKAS II 200 7 20 II 1724 II 1575 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF SET OF CEMENT WEED GRAVITY AMOUNT OF MUD USED 81 305 25 Halliburton X X								
CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT KIND OF CUT AND PERFORATIONS PURPOSE 81 32 U 305 TOKAS P 200 7 20 U 1724 # 1575 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF CASING WHERE NO. SACKS OF CEMENT USED METHOD MUD GRAVITY AMOUNT OF MUD USED 81 305 25 Hall1bitton X X			=					
SIZE PER FOOT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 81 32 U 305 Tokas D 200 7 20 U 1721 * 1575 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF CASING SET NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF MUD USED 81 305 25 Hallibitson X X								
MUDDING AND CEMENTING RECORD SIZE OF SIZE OF CASING SET OF CEMENT USED MUD GRAVITY AMOUNT OF MUD USED 81 305 25 Helliburton X X	SIZE			L .	KIND OF	CUT AND	PERFORATIONS	PURPOSE
MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 81 305 25 Helliburton X X		0.0	77	305	Texas P	200		
SIZE OF CASING SET NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 81 305 25 Helliburton X	81			2221.		1575		
SIZE OF SIZE OF CASING SET NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 81 305 25 Helliburton X	8± 7			1724		į l		ı
SIZE OF SIZE OF CASING SET NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 81 305 25 Halliburton X	81 7			1/24				
	8 1 7				AND CEMENT	NG RECORD		
70D 1724 25 *	7	SIZE OF	WHERE	MUDDING NO. SACKS	METHOD			AMOUNT OF MUD USED
	7	SIZE OF CASING	WHERE	MUDDING NO. SACKS OF CEMENT	METHOD USED	G	RAVITY	MUD USED
	SIZE OF	SIZE OF CASING	WHERE	MUDDING NO. SACKS OF CEMENT	METHOD USED	G	RAVITY	MUD USED
	7	SIZE OF CASING	WHERE	MUDDING NO. SACKS OF CEMENT	METHOD USED	n	X	MUD USED
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	7	SIZE OF CASING	WHERE SET 305 1724	MUDDING NO. SACKS OF CEMENT 25 RECORD OF P	METHOD USED	n STIMULAT	X	MUD USED
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	7	SIZE OF CASING	WHERE SET 305 1724	MUDDING NO. SACKS OF CEMENT 25 RECORD OF P	METHOD USED	n STIMULAT	X	MUD USED
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	7	SIZE OF CASING	WHERE SET 305 1724	MUDDING NO. SACKS OF CEMENT 25 RECORD OF P	METHOD USED	n STIMULAT	X	MUD USED
	SIZE OF HOLE	SIZE OF CASING	WHERE SET 305 1724 (Record the	MUDDING NO. SACKS OF CEMENT 25 25 RECORD OF P	METHOD USED	ND STIMULAT	TION treated or shot.)	MUD USED
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	SIZE OF HOLE	SIZE OF CASING	WHERE SET 305 1724 (Record the	MUDDING NO. SACKS OF CEMENT 25 25 RECORD OF P	METHOD USED	ND STIMULAT	TION treated or shot.)	MUD USED
NO OIL OR GAS WAS FOUND	SIZE OF HOLE	SIZE OF CASING	WHERE SET 305 1724 (Record the	MUDDING NO. SACKS OF CEMENT 25 25 RECORD OF P Process used, No	METHOD USED Reliability PRODUCTION A of Qts. or Gals WAS FOUN	ND STIMULAT	X FION treated or shot.)	X X
	SIZE OF HOLE	SIZE OF CASING	WHERE SET 305 1724 (Record the	MUDDING NO. SACKS OF CEMENT 25 25 RECORD OF P Process used, No	METHOD USED Reliability PRODUCTION A o. of Qts. or Gals	ND STIMULAT	X FION treated or shot.)	X X

REC. D OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

	ls were use	d from		feet to	0	feet, and	d from		feet to	fc
	_					UCTION				
ıt to Pn			d Sept.		53 19					
it to ric									.,	C1
L WEI									id of which	
	was	oil;		.% was e	mulsion;		% water;	and	% was	sediment. A.l
	Gra	vi tv								
	· ·	·					4 C F	_		harrale
AS WEI	LL: The	production	n during the f	irst 24 hou	urs was		1.C.F. più			UZI ICIZ
	liqu	id Hydroca	urbon. Shut in	Pressure	1bs	s.				
ength o	f Time Sh	ut in				••				
PLE	ASE IND	ICATE B	ELOW FOR	MATION	TOPS (IN CO	NFORMANC	E WITH	GEOGR	APHICAL SECTION	OF STATE
			Southeaste						Northwestern Nev	
Anhv	7			Т.	Devonian			Т.	Ojo Alamo	
					Silurian			T .	Kirtland-Fruitland	
			***************************************		Montoya			Т.	Farmington	
Yates	B			Т.	Simpson			т.	Pictured Cliffs	
7 Riv	vers		•••••	Т.	McKee			Т.	Menefee	
Quec	n			т.	Ellenburger			_	Point Lookout	
•	_				Gr. Wash				Mancos	
					Granite				Dakota Morrison	
									Penn	
									1 61111	
								Т.		
		•••••	•••••							
. Miss.				Т.			***	т.	***************************************	
. Miss		•••••		Т.	FORMATI			т.	· · · · · · · · · · · · · · · · · · ·	
	1	Thickness			FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From	То	 		Formati	FORMATIO		RD			· · · · · · · · · · · · · · · · · · ·
From	To 200	Thickness		Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 0 200 30 5	To 200 305 1028	Thickness	R R and R R Selt	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 0 200 30 5 0 28	To 200 305 1028 1616	Thickness	R R and R R Salt Anhyd	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 305 028 616	To 200 305 1028 1616 1570	Thickness	R R and R R Salt Anhyd Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 0 200 305 028 616 670	To 200 305 1028 1616 1670 1785	Thickness	R R and R R Salt Anhyd	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 30.5 028 616 670 78.5 209	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		·
From 200 305 028 616 670 785 209	To 200 305 1028 1616 1570 1785 2209	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 305 028 616 670 785 209	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 305 028 616 670 785	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 305 028 616 670 785	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		·
From 200 305 028 616 670 785	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		·
From 200 305 028 616 670 785 209	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 305 028 616 670 785 209	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 30.5 028 616 670 78.5 209	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 305 028 616 670 785 209	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 30.5 028 616 670 78.5 209	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 200 305 028 616 670 785	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 0 200 305 028 .616 670 785	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 0 200 305 028 .616 670 785	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·
From 0 200 305 028 616 670	To 200 305 1028 1616 1670 1785 2209 2278	Thickness	R R and R R Selt Anhyd Sand Anhyd Lime Sand	Formati	FORMATIO	ON RECO	RD	Thickness		· · · · · · · · · · · · · · · · · · ·

									•	,	
							ļ				
							ATT TO 11	mente			
		ATTACH S	EPARATE S	HEET IF AI	DDITION	IAL SPA	CEISN	RIBLIDE	עו		
7 1 1	Œ A1									ıll work d	one on it so
		at the inform	EPARATE Sination given he							ıll work d	one on it so
	ned from avail	at the informable records.		erewith is a co	omplete a	nd correc		of the w	vell and a		one on it so i
I hereby sweats can be determined	ed from avail	at the informable records.	nation given he	erewith is a co	omplete a	Artes	t record o	of the w	vell and a	•	