NEW MEXICO OIL CONSERVATION COMMUSSION DRAWER DD ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS							
Operator chemical Exprass loc, Lease Leonard State Well						Well #	\$3
Location of Well	Unit Section		Townshi			County	
Drilling Contractor Ray Smith Type of Equipment Cable Col							
APPROVED CASING PROGRAM							
Size of Hold	e Size	Size of Casing		t Per N t	lew or Used	Depth	Sacks Cement
10		75/3			have	360	50
3		4 ^{1/} 2	9.5		hew	2250	3/0
						_	
Casing Data:							
Surfacejoints ofinch# Grade							
(Approved) (Rejected)							
Inspected bydate							
Cementing Program							
Size of hole _//							
Type of Shoe used open Float collar used 20 Btm 3 jts welded 20							
TD of hole <u>375</u> Set <u>372.6</u> Feet of <u>89</u> Inch # Grade							
New-used csg. @ 372.6 with 50 sacks neat cement around shoe							
additives hone							
Plug down @ $7:15$ (AM) (PD) Date $9-14-62$							
Cement circulated no No. of Sacks Cemented by / alliburton Witnessed by Lololog							
Temp. Survey ran @ (AM) (PM) Datetop cement @ Casing test @(AM) (PM) Date							
Method Used Witnessed by Checked for shut off @ (AM) (PM) Date							
Method used Witnessed by							
Remarks:							