

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

RECEIVED

WELL RECORD 0CT 2 6 1961

•

Mail to District Office, Oil Conservation Commission, to which AFOFE CAICUF WAFFent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

	1 1	<u>' </u>	of the Comm	nission. Submit is	QUINTUPLIC	ATE. If State	s in Rules and Regulation Land submit 6 Copies
LOC	AREA 640 AC	RES RRECTLY					
Sunr	ay Mid-Co		il Comp any		N. Me	x. state "AD"	
	1 /	(Company or Ope S.W	rator)			(Lease)	29E , NMP
Well No	Wildca						
			south	Pool,	6601		Cour
Vell is	29	feet from	50001	line and	E-775	feet from	west
			•		-) 19 6
							•••••••••••••••••••••••••••••••••••••••

				, Y	The in	formation given is to	be kept confidential u
·····			, 19				
			OI	L SANDS OR 2	ONES		
o. 1, from.	••••••	t	o	No. 4	ł, from	to	***************************************
							•••••••••

naluda date		:-0	IMPOR elevation to which	STANT WATER			
lo. 4, from.	***************************************		to	***************************************		feet	
				CASING RECO	RD		
SIZE	WEIGH PER FO			KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
	WEIGI PER FO	OT USE	D AMOUNT	SHOE	PULLED FROM	PERFORATIONS	PURPOSE
size:	WEIGH						PURPOSE
	WEIGI PER FO	OT USE	D AMOUNT	SHOE	PULLED FROM		PURPOSE
	WEIGI PER FO	OT USE	D AMOUNT	SHOE	PULLED FROM		PURPOSE
	WEIGI PER FO	OT USE	1460	SHOE	O O		PURPOSE
	WEIGI PER FO	OT USE	1460	Guide	O O ING RECORD		AMOUNT OF MUD USED
SIZE OF HOLE	SIZE OF CASING	NOT USE	MUDDING No. SACES OF CEMENT	Guide AND CEMENT METHOD USED	O O ING RECORD	MUD	AMOUNT OF
99 5/8 Size of	WEIGH PER FO	new where	MUDDING NO. SACES	Guide AND CEMENT	O O ING RECORD	MUD	AMOUNT OF
SIZE OF HOLE	SIZE OF CASING	NOT USE	MUDDING No. SACES OF CEMENT	Guide AND CEMENT METHOD USED	O O ING RECORD	MUD	AMOUNT OF
SIZE OF HOLE	SIZE OF CASING	NOT USE	MUDDING NO. SACES OF CEMENT 500	Guide Guide AND CEMENT METHOD USED	ING RECORD	MUD	AMOUNT OF
SIZE OF HOLE	SIZE OF CASING	NOT USE	MUDDING NO. SACES OF CEMENT 500	Guide Guide AND CEMENT METHOD USED	O O ING RECORD	MUD	AMOUNT OF
SIZE OF HOLE 12 ½	SIZE OF CASING 9-5/8	new where set	MUDDING NO. SACES OF CEMENT 500	Guide Guide AND CEMENT METHOD USED PUMP	ING RECORD AND STIMULAT	MUD RAVITY	AMOUNT OF
SIZE OF HOLE 12 ½	SIZE OF CASING	new where set	MUDDING NO. SACES OF CEMENT 500 RECORD OF P	Guide Guide AND CEMENT METHOD USED PUMP	ING RECORD AND STIMULAT	MUD RAVITY	AMOUNT OF
SIZE OF HOLE 12 ½	SIZE OF CASING 9-5/8	new where set	MUDDING NO. SACES OF CEMENT 500 RECORD OF P	Guide Guide AND CEMENT METHOD USED PUMP	ING RECORD AND STIMULAT	MUD RAVITY	AMOUNT OF
SIZE OF HOLE 12 ½	SIZE OF CASING 9-5/8	new where set	MUDDING NO. SACES OF CEMENT 500 RECORD OF P	Guide Guide AND CEMENT METHOD USED PUMP	ING RECORD AND STIMULAT	MUD RAVITY	AMOUNT OF
SIZE OF HOLE 12 \(\frac{1}{4} \)	SIZE OF CASING 9-5/8	new where set	MUDDING NO. SACES OF CEMENT 500 RECORD OF P	Guide Guide AND CEMENT METHOD USED PUMP	ING RECORD AND STIMULAT	MUD RAVITY	AMOUNT OF
8IZE OF HOLE 12 1/4	SIZE OF CABING 9-5/8	New N	MUDDING NO. SACES OF CEMENT 500 RECORD OF P	Guide Guide AND CEMENT METHOD USED PUMP	ING RECORD AND STIMULAT	MUD RAVITY	AMOUNT OF
SIZE OF HOLE 12 ½	SIZE OF CABING 9-5/8	New N	MUDDING NO. SACES OF CEMENT 500 RECORD OF P	Guide Guide AND CEMENT METHOD USED PUMP PRODUCTION A of Qts. or Gal	ING RECORD AND STIMULAT	MUD RAVITY TION treated or shot.)	AMOUNT OF

_&OORD OF DRILL-STEM AND SPECIAL TE. &

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary to	ols were u	sed from	0	ieet to 7405	feet, a	nd from		feet to	feet.
Cable too	ls were us	ed from		eet to	feet, a	nd from		feet to	feet.
				PRO	DUCTION				
Dut to De	ia			, 19					
	•			-					
OIL WE	LL: The	productio	n during the first 2	4 hours was	ory note	barı	rels of liq	uid of which	
	was	oil;	% .	was emulsion;		% water	; and	% was	sediment. A.P.I.
	Gra	vitv		•••					
~ . ~		•							
GAS WE	LL: The	productio	n during the first 2	4 hours was	•••••••••	M.C.F. ph	13	······································	barrels of
	liqu	id Hydroc	arbon. Shut in Pres	Surc	.lbs.				
Length o	of Time Sh	ut in			•••••				
PLE	ASE IND	ICATE B	ELOW FORMAT	ION TOPS (IN C	ONFORMAN	CE WITE	CEOGE	APHICAL SECTION	OF STATE).
1 2		20.12.2	Southeastern N			C13 W 111	decode	Northwestern New	•
T. Anhy	7		•••	T. Devonian			Т.	Ojo Alamo	
	1,00				••••			Kirtland-Fruitland	
R Salt	900			T. Montoya			Т.	Farmington	••••
T. Yates	11140) 		T. Simpson		•••••	Т.	Pictured Cliffs	•••••
T. 7 Riv	vers. De I	aware	3368	T. McKee	······································	•••••	T.	Menefee	
-			gs 4880	· ·	***************************************			Point Lookout	
•	•		B. S. 6790		•••••••			Mancos	
								Dakota	
-	•				••••			Morrison	
				_				Penn	
T. Miss.				т				••••	
				FORMAT	TION RECO	ORD			
From	То	Thickness	Fo	rmation	From	То	Thickness	Formati	on.
		in Feet				-	in Feet		
o 33 5	335 885	335 550	Red Bed Salt & Anh	vdri te					
885	1053	168	Chalk & An	•					
1053	1239	186		e & Anhydrit	e				
1239	1883	644	Anhy. & li Shale & li						
1883 2. 2340	3210	457 870	Sand & lin		ļ	1 (SERVATION COMM	
3210	3603	393	Dolomite &				AR.	THE TOTAL PRICE	连
3603	3893	290	, -	e Dolomite		Mo. 5	5 / 2: 11		
3893 5 16 8	5168 5549	275 381	dolomite &	mite, ##### chert				o savounium	
5549	5605		lime	CHOI U			 	F5 04 3 185	
5605	\$808	203	Lime, Dolon				11.3		
5808		3 77		shale dolor	nit e		1 12	† <i>†</i>	
6169 6215	6215 6425	210	shale, lin	mite shale		55.	K 37 0.		
6425	6787	352	lime, shall			JEAN	(A) > 0	106 · /	
6787	6878	91	sand & shale			, S,	s s.	7-	
6878	6921	43	sand	i chale		A.13	CATER	1	
6921 7255	7255 7405	34 150	lime, sand		Total De	epth			
1-22	1-100					T Unit off.	k -03-44	NES	
		<u> </u>							
			ATTACH SE	PARATE SHEET	IF ADDITIO	NAL SPA	CE IS N	EEDED	

I hereby swear or affirm that the information given herewith is a	complete and conrect record of the well and all work done on it so far
as can be determined from available records.	4////
	10-25-61
•	(Date)
Company or Operator Sunray Mid-Continent Oil Company	Address Box 128 Hobbs, New "exico
Name Ra Ha Statton	Posite Dist. Engr.