



(SUBMIT IN TRIPLICATE)

Land Office **Santa Fe**  
Lease No. **NM-01523-A**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

NOV 28 1960

SUNDRY NOTICES AND REPORTS ON WELLS

|  |  |  |          |
|--|--|--|----------|
| NOTICE OF INTENTION TO DRILL                   |  | SUBSEQUENT REPORT OF WATER SHUT-OFF        |          |
| NOTICE OF INTENTION TO CHANGE PLANS            |  | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |          |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF     |  | SUBSEQUENT REPORT OF ALTERING CASING       |          |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL |  | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR |          |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE        |  | SUBSEQUENT REPORT OF ABANDONMENT           |          |
| NOTICE OF INTENTION TO PULL OR ALTER CASING    |  | SUPPLEMENTARY WELL HISTORY                 | <b>X</b> |
| NOTICE OF INTENTION TO ABANDON WELL            |  |  |          |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**Getty Federal**

**June 20**

, 19 **60**

Well No. **1** is located **1980** ft. from **XXX** line and **660** ft. from **XXX** line of sec. **35**

**NW SW S<sub>26</sub>. 35**  
( $\frac{1}{4}$  Sec. and Sec. No.)

**19S**  
(Twp.)

**29E**  
(Range)

**N.M.P.M.**  
(Meridian)

**Undesignated**  
(Field)

**Eddy**  
(County or Subdivision)

**New Mexico**  
(State or Territory)

The elevation of the derrick floor above sea level is **3315** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We have plugged this well per notice of intention to abandon dated May 31, 1960 as follows:  
Well drilled to a total depth of 1605 feet and encountered no oil, gas or water below surface water at 225-33  
Filled with mud to 1150 and with cement to 1100.  
Filled with mud to 500 feet and put a plug of cement 500-425 up into 7" pipe set at 435.  
Knocked off 7" pipe at 152.80 feet and pulled same  
Filled with mud to surface, cemented same, put up regulation marker and cleaned up location  
Conductor strings (165 feet of 10 3/4" and 264 feet of 8 5/8" were all recovered.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Linehan & Stoltenberg**

Address **Box 969**

**Midland, Texas**

By **E. R. Holmes**  
Title **Agent**