

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

NM OLD COPY  
Draw DD  
Artes, NM 88210

C/SF

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT** 6

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator  
SOUTHWEST ROYALTIES, INC.

3. Address and Telephone No.  
P.O. BOX 11390, MIDLAND, TX 79702 (915) 686-9927

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
UNIT LETTER M, 990 FSL & 330 FWL  
SEC. 24, T-19S, R-30E

5. Lease Designation and Serial No.

NM06766

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

N. HACKBERRY YATES UNIT

8. Well Name and No.

N.HACKBERRY YATES #114

9. API Well No.

30-015-04623

10. Field and Pool, or Exploratory Area

HACKBERRY YATES RVRS, NORTH

11. County or Parish, State

EDDY COUNTY, NM

12. **CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

PROPOSE TO P&A

- 1) CIRCULATE HOLE WITH 9#/GAL MUD
- 2) RIH W/ 4-1/2" CMT. RETAINER AND SET AT  $\pm$  1130'
- 3) PUMP 60 SX CLASS "C" CMT THRU RETAINER. (50% EXCESS FOR SQUEEZING PERFS)
- 4) STING OUT OF RETAINER AND PUMP 3 SX ON TOP OF CMT RETAINER (40' OF CMT)
- 5) PUMP 20 SX CLASS "C" CMT FROM 479'-599' FOR 8-5/8" SHOE PLUG. TAG PLUG.
- 6) PUMP 15 SX CLASS "C" CMT FOR 100' SURFACE PLUG
- 7) CUT OFF WELL HEAD AND INSTALL 4'X4" DRY HOLE MARKER
- 8) FILL IN PITS, CLEAN LOCATION, FILL IN CELLAR, AND RESTORE SURFACE.

RECEIVED

JUL 14 1995

OIL CON. DIV.  
DIST. 2

14. I hereby certify that the foregoing is true and correct

Signed Kate Ellison

Title REGULATORY ASST.

Date 6-9-95

(This space for Federal or State office use)

Approved by Orig. Signed by Adnan Gafanah

Title Petroleum Engineer

Date 7/11/95

Conditions of approval, if any:

- SEE ATTACHED -