				Oil Cor	
		2340	N	M. DIV-I	
		12			d Avenue
5			• • • • • •		
Form 3160-5 (August 1999)	UNITED STA	TES S	•~~~ 2 1	esia, NM	
(1.0Br. 1777)	DEPARTMENT OF TH	EINTERIOR RE	ECEINED S		FORM APPROVED OMB No. 1004-0135
_	BUREAU OF LAND MA		- ARTESIA	5. Lease :	Expires November 30, 2000 Serial No.
	RY NOTICES AND REI	to dell and the second	5.5 Z		06767
abandoned (well. Use Form 3160-3 (A	PD) for such propp	er an eals	6. If India	an, Allottee or Tribe Name
SUBMIT IN T					**
	RIPLICATE - Other ins	aructions on rever	rse side	7. If Unit	or CA/Agreement, Name and/or
1. Type of Well					
2. Name of Operator	Uther			8. Well N	lame and No.
EGL Resources, Ir	nc.			Iebo	w Federal #11
3a. Address		3b. Phone No. (inc	lude area code)	9. API W	
P. O. BOX 10886, 4. Location of Well (Footage, Se	MIGLAND, TX 7970	2 3b. Phone No. (inc. (915)686-	4346	10. Field at	015-04639 nd Pool, or Exploratory Arca
990' FSL & 1650'	ж., т., к., м., or Survey Descript FFI	tion)	,	Hack	berry Yates-7 Riv
Sec. 25, T19S, R3				11. County	or Parish, State
					County, NM
12. CHECK A	PPROPRIATE BOX(ES)	TO INDICATE NAT	URE OF NOTICE.	REPORT. O	R OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
67)	C Acidize	Deepen	Production (S	last/Peruma)	
Notice of Intent		— •		and Kesnuic)	Water Shut-Off
	Alter Casing	Fracture Treat	Reclamation		Well Integrity
Subsequent Report	Casing Repair	New Construction	Reclamation Recomplete		Well Integrity
 Subsequent Report Final Abandonment Notice Describe Proposed or Completen If the proposal is to deepen dim Attach the Bond under which if following completion of the in- testing has been completed. F determined that the sile is ready 	Casing Repair Change Plans Convert to Injection Convert to Injection ed Operation (clearly state all pe ectionally or recomplete hosizon the work will be performed or p volved operations. If the operational Abandoament Notices shall for final inspection.)	New Construction Plug and Abandon Plug Back retinent details, including e tally, give subsurface loca rovide the Bond No. on fi	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BL/MBIA. Rec	at f any proposed we true vertical dept	U Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which is following completion of the in- testing las been completed determined that the site is ready Estimated Start D Please see attach 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operati- inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diaco	New Construction Plug and Abandon Plug Back reliment details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BLM/BIA. Rec mpletion or recompletio juirements, including re	at f any proposed we true vertical dept	Other Other Other ork and approximate duration the ths of all pertinent markers and zz t reports shall be filed within 30 val, a Form 3160-4 shall be filed been completed, and the operator
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen din Attach the Bond under which I following completion of the ini- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the sile is 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operation inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling the state of th	New Construction Plug and Abandon Plug Back ritinent details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire 4 ¹ / ₂	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BLMBIA. Rec mpletion or recompletic purements, including re	at f any proposed we true vertical dept	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which i following completion of the in- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the string from TD at 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operati inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface	New Construction Plug and Abandon Plug Back Religionary of the Bond No. on fi tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple co be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ with cement.	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BLM/BIA. Rec multicion or recompletion purements, including re	al f any proposed with true vertical depi juired subsequent in a new interv clamation, have t	Other Other Other ork and approximate duration the ths of all pertinent markers and zz t reports shall be filed within 30 val, a Form 3160-4 shall be filed been completed, and the operator
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which i following completion of the in- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the string from TD at 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operati inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface	New Construction Plug and Abandon Plug Back Religionary of the Bond No. on fi tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple co be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ with cement.	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BLM/BIA. Rec multicion or recompletion purements, including re	al f any proposed with true vertical depi juired subsequent in a new interv clamation, have t	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which i following completion of the in- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the string from TD at 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operati inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface	New Construction Plug and Abandon Plug Back reliment details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple co be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ e with cement. re location to	 Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BL/MBIA. Rec empletion or recompletic juirements, including re casing natural cor 	al f any proposed win true vertical dep used subsequent in a new interv clamation, have to ndition.	Other Other Other ork and approximate duration the ths of all pertinent markers and zz t reports shall be filed within 30 val, a Form 3160-4 shall be filed been completed, and the operator
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which i following completion of the in- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the string from TD at 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operati inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface	New Construction Plug and Abandon Plug Back reliment details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple co be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ e with cement. re location to	 Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BL/MBIA. Rec empletion or recompletic juirements, including re casing natural cor 	al f any proposed win true vertical dep used subsequent in a new interv clamation, have to ndition.	Other Ot
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which is following completion of the in- testing las been completed determined that the site is ready Estimated Start D Please see attach 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operati inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface	New Construction Plug and Abandon Plug Back ritinent details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ with cement. re location to	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and the with BLM/BIA. Rec empletion or recompletio unrements, including re	al f any proposed with true vertical dep used subsequent on in a new interv clamation, have to ndition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which i following completion of the in- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the string from TD at 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe ectionally or recomplete horizon the work will be performed or p volved operations. If the operati inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface	New Construction Plug and Abandon Plug Back ritinent details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ with cement. re location to	 Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BL/MBIA. Rec empletion or recompletic juirements, including re casing natural cor 	al f any proposed with true vertical dep used subsequent on in a new interv clamation, have to ndition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen din Attach the Bond under which it following completion of the in- testing has been completed. F determined that the site is ready Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole in 	Casing Repair Change Plans Convert to Injection d Operation (clearly state all pe ectionally or recomplete hosizon the work will be performed or p volved operations. If the operati inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface marker and reston	New Construction Plug and Abandon Plug Back ritinent details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ with cement. re location to	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and the with BLM/BIA. Rec empletion or recompletio unrements, including re	al f any proposed with true vertical dep used subsequent on in a new interv clamation, have to ndition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which i following completion of the in- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the string from TD at 	Casing Repair Change Plans Convert to Injection d Operation (clearly state all pe ectionally or recomplete hosizon the work will be performed or p volved operations. If the operati inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface marker and reston	New Construction Plug and Abandon Plug Back ritinent details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ with cement. re location to	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and the with BLM/BIA. Rec empletion or recompletio unrements, including re	al f any proposed with true vertical dep used subsequent on in a new interv clamation, have to ndition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Completion If the proposal is to deepen dim Attach the Bond under which it following completion of the in- testing has been completed. F determined that the site is ready Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole if Install dry hole if 	Casing Repair Change Plans Convert to Injection d Operation (clearly state all pe ectionally or recomplete hosizon the work will be performed or p volved operations. If the operati inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling to 2161' to surface marker and reston	New Construction Plug and Abandon Plug Back retinent details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire 4 ¹ / ₂ e with cement. re location to	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and the with BLM/BIA. Rec empletion or recompletio unrements, including re	al f any proposed with true vertical dep used subsequent on in a new interv clamation, have to ndition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen dir Attach the Bond under which if following completion of the in- testing has been completed. F determined that the site is ready Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole in Install dry hole in I hereby certify that the foregoin Name (Printed/Typed) Linda Johnston 	Casing Repair Change Plans Convert to Injection ad Operation (clearly state all pe- convert to Injection the work will be performed or p volved operations. If the operati- inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagn well by filling to 2161' to surface marker and reston g is true and correct	New Construction Plug and Abandon Plug Back retinent details, including e tally, give subsurface loca rowide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire 4 ¹ / ₂ e with cement. re location to Title	Reclamation Recomplete Temporarily Water Dispose stimated starting date of tions and measured and le with BL/MBIA. Rec mpletion or recompletic unrements, including re cassing on atural cor	al f any proposed with true vertical dep used subsequent on in a new interv clamation, have to ndition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which if following completion of the in- testing has been completed. F determined that the site is ready Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole in Install dry hole in I hereby cenify that the foregoin Name (Printed/Typed) Linda Johnston 	Casing Repair Change Plans Convert to Injection ad Operation (clearly state all pe- cetionally or recomplete horizon the work will be performed or p volved operations. If the operati- inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagn well by filling the 2161' to surface marker and reston Galantic g is true and correct Analow	New Construction Plug and Abandon Plug Back reliment details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire $4\frac{1}{2}$ ' e with cement. re location to Title Date	Reclamation Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recompletions and measured and resourced and resourced and recompletion or recompletic Recompletion or recompletion Recompletion or recompletion Recompletion or recompletic Recompletion or recompletion	al f any proposed with true vertical depu- urice subsequent in a new intervert clamation, have to hdition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen dir Attach the Bond under which if following completion of the in- testing has been completed. F determined that the site is ready Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole in Install dry hole in I hereby certify that the foregoin Name (Printed/Typed) Linda Johnston 	Casing Repair Change Plans Convert to Injection ad Operation (clearly state all pe- cetionally or recomplete horizon the work will be performed or p volved operations. If the operati- inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagn well by filling the 2161' to surface marker and reston Galantic g is true and correct Analow	New Construction Plug and Abandon Plug Back retinent details, including e tally, give subsurface loca rowide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire 4 ¹ / ₂ e with cement. re location to Title	Reclamation Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recompletions and measured and resourced and resourced and recompletion or recompletic Recompletion or recompletion Recompletion or recompletion Recompletion or recompletic Recompletion or recompletion	al f any proposed with true vertical depu- urice subsequent in a new intervert clamation, have to hdition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen dir Attach the Bond under which if following completion of the in- testing has been completed. F determined that the site is ready Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole in Install dry hole in I hereby certify that the foregoin Name (Printed/Typed) Linda Johnston 	Casing Repair Change Plans Convert to Injection ad Operation (clearly state all pe- cetionally or recomplete horizon the work will be performed or p volved operations. If the operati- inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagn well by filling the 2161' to surface marker and reston Galantic g is true and correct Analow	New Construction Plug and Abandon Plug Back retinent details, including e tally, give subsurface loca rowide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire 4 ¹ / ₂ e with cement. re location to Title Date FOR FEDERAL OR S	Reclamation Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recompletions and measured and resourced and recompletion or recompletion Recompletio	al f any proposed with true vertical depu- true	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which it following completion of the in- testing las been completed. Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole in I hereby certify that the foregoin Name (Printed(Typed) Linda Johnston Signature Madue Opproved by 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe- cectionally or recomplete hosizon the work will be performed or p volved operations. If the operati- inul Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling the 2161' to surface marker and reston Georgen g is true and correct Mindlow THIS SPACE I	New Construction Plug and Abandon Plug Back ritinent details, including e tally, give subsurface loca tally, give subsurface loca toon results in a multiple cu be filed only after all req , 2002 ram. the entire 4 ¹ / ₂ e with cement. re location to Title Date FOR FEDERAL OR S	Reclamation Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recompletions and measured and ressured and measured and ressured and measured and recompletion or recompletic Recompletion or recompletion Recompletion or recompletic Recompletion or recompletion Recompletion or	al f any proposed with true vertical depu- urice subsequent in a new intervert clamation, have to hdition.	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen din Attach the Bond under which I following completion of the imi- testing has been completed. F determined that the sile is ready Estimated Start D Please see attach Plan to plug the factor of the plan to plug the plan to plu	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe- convert to Injection ed Operations. (clearly state all pe- convert to Injection ed Operations. If the operati- inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling the 2161' to surface marker and reston Georgen g is true and correct THIS SPACE I attached. Approval of this noti- to remirable title to these del	New Construction Plug and Abandon Plug Back retinent details, including e tally, give subsurface loca rowide the Bond No. on fi ion results in a multiple cu be filed only after all req , 2002 ram. the entire 4 ¹ / ₂ e with cement. re location to Title Date FOR FEDERAL OR S	Reclamation Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recompletions and measured and resourced and recompletion or recompletion Recompletio	al f any proposed with true vertical depu- true	Other
 Subsequent Report Final Abandonment Notice Describe Proposed or Complete If the proposal is to deepen dir Attach the Bond under which is following completion of the in- testing las been completed. Estimated Start D Please see attach Plan to plug the string from TD at Install dry hole is I hereby certify that the foregoin Name (<i>Printed(Typed</i>) Linda Johnston Signature Signature 	Casing Repair Change Plans Convert to Injection ed Operation (clearly state all pe- convert to Injection ed Operations. If the operati- inal Abandoament Notices shall for final inspection.) ate: February 5 ed wellbore diagon well by filling the 2161' to surface marker and reston Generations Interstone THIS SPACE I Attached. Approval of this noti- lor equitable title to those right conduct operations thereon.	New Construction Plug and Abandon Plug Back retinent details, including e tally, give subsurface loca rovide the Bond No. on fi ion results in a multiple co be filed only after all req , 2002 ram. the entire 4 ¹¹ / ₂ e with cement. re location to Call of FEDERAL OR S ce does not warrant or us in the subject lease (Reclamation Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recomplete Recompletions and measured and Resumed starting date of Recompletion or recompletion	al any proposed with true vertical depi unica subsequent in a new inter- clamation, have to addition.	Other

BROGERT CHORE SUBJEER-H WH 8: 21 BECEINED

.

-

