

..Depth Cleaned Out 3.998!

WORD OF DRILL-STEM AND SPECIAL TIE

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.
 C
 Table tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Producing. 12/1 59

11. WEIGHT The production during the first 24 hours was 50 barrels of liquid of which 20 was oil; 37% was emulsion; 20% water; and 0% was sediment. A.P.I. Gravity 37°

GAS WELL The production during the first 24 hours was _____ M.C.F. plus _____ barrels of
liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shes in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

Southeastern New Mexico		Northwestern New Mexico	
I. Anny.....	590	T. Ojo Alamo.....	
T. Salt.....	822	T. Kirtland-Fruitland.....	
B. Salt.....	1845	T. Farmington.....	
T. Sales.....	2029	T. Pictured Cliffs.....	
T. Rivers.....	2430	T. Menefee.....	
T. Querna.....	3210	T. Point Lookout.....	
T. Grayberg.....	3480	T. Mancos.....	
T. San Andres.....	3995	T. Dakota.....	
T. Fortuna.....		T. Morrison.....	
T. Frankard.....		T. Penn.....	
T. Latta.....			
T. Penn.....			
T. Anny.....			
T. Devonian.....			
T. Silurian.....			
T. Montoya.....			
T. Simpson.....			
T. McKee.....			
T. Ellenburger.....			
T. Gr. Wash.....			
T. Granite.....			

FORMATION RECORD

To	Checklist	From	To	Checklist	From	To	Checklist
SEE ATTACHED SHEET							

OIL CONSERVATION COMMISSION

ARTESIA DISTRICT OFFICE

DISTRIBUTION

Mo. Copies Received	No. FURNISHED
OPERATOR	
SANTA FE	
PRORATION OFFICE	
STATE LAND OFFICE	
U. S. G. S.	
TRANSPORTER	
FILE	
BUREAU OF MINES	

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

December 8, 1957

(Date)

Company or Operator. **PAUL E. HASKINS**
Name. *Paul E. Haskins*

Address.....
001 First National Bank Building
 Position or Title.....

WFO R

FORMATION RECORD

From	To	Thickness in feet	Formation
0	95	95	Red Sandy Shale
95	125	30	Sand
125	155	30	Shale
155	280	125	Sand
280	450	170	Sandy Shale
450	590	140	R. Shale
590	650	60	Anhydrite
650	710	60	Lime
710	720	10	Anhydrite
720	745	25	Shale & lime anhydrite
745	754	9	Sandy Lime
754	822	78	Shale & Anhydrite
822	1845	1023	Salt & Anhydrite
1845	1880	35	Anhydrite
1880	1895	15	Conglomerate
1885	1955	70	Anhydrite
1955	2050	95	Lime & anhydrite
2050	2055	5	Shale
2055	2125	70	Anhydrite & Shale
2125	2135	10	Sand
2135	2300	165	Shale & Anhydrite
2300	2315	15	Anhydrite
2315	2433	118	Shale & Anhydrite
2433	2441	8	Sand
2441	2463	22	Anhydrite
2463	2480	17	Shale & Anhydrite
2480	2595	115	Lime & Anhydrite
2595	2625	30	Lime
2625	2690	65	Lime & Anhydrite
2690	2805	115	Lime
2805	2840	35	Lime & Anhydrite
2840	3015	175	Lime
3015	3100	85	Lime & Anhydrite
3100	3125	25	Lime
3125	3215	90	Lime & Anhydrite
3225	3250	25	Brown Sand
3250	3265	15	Lime
3265	3335	70	Lime & Anhydrite
3335	3358	23	Sand
3358	3469	111	Lime & Anhydrite
3469	3478	9	Sand
3478	3513	35	Lime
3513	3574	61	Lime & Anhydrite
3574	3652	78	Sand & Anhydrite
3652	3705	53	Lime
3705	3735	30	Sand & Anhydrite
3735	3878	143	Lime
3878	3924	46	Sand
3924	3957	33	Lime
3957	3982	25	Sand
3982	4022	40	Brown Lime

RECEIVED

DEC 10 1912

ARTESIA OFFICE

