

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
811 S. 1st Street
Artesia, NM 88210-2838

clsf

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

William A. and Edward R. Hudson

3. Address and Telephone No.

616 Texas St. Fort Worth, Texas 76102

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FEL 1980' FNL

SEC 10, T-18 S, R-31 E

FORM APPROVED
Budget Control No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

N.M.L.C. 029388-A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Shuggart A-4

9. API Well No.

30-015-05512

10. Field and Pool, or Exploratory Area

Shuggart-Grayburg

11. County or Parish, State

Eddy County New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☐ Subsequent Report

☒ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☒ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1). Date 8/16/00 pooh w/tubing and tally out Gih w/5 1/2" CIBP set CIBP at 3980'
- 2). Circulate hole w/brine gel 9.5 lb
- 3). spot 25 sks plug bottom 3980' top 3800' tag class c cmt 14.8 wt 1.32 yield
- 4). Date 8/17/00 spot 25 sks plug bottom 3400' top 3157' est. class c cmt 14.8 wt 1.32 yield
- 5). spot 25 sks plug bottom 2125' top 1880' est-class c cmt 14.8 wt 1.32 yield
- 6). 8/18/00 spot 40 sks plug bottlm 1030' tag top of cmt at 745' mix extra 10 sks on top of 745' top of cmt at 647'
- 7). surface plug 50' down insid 5 1/2" casing to surface w/class c cmt 14.8 wt 1.32 yield install dry hole marker clean up location and cut off anchors.

14. I hereby certify that the foregoing is true and correct

Signed Ronald L. Wallace

Title

Date 8-18-00

(This space for Federal or State office use)

Approved by (ORIG. SGD.) GARY GOURLEY

Title

PETROLEUM ENGINEER

Date

AUG 25 2000

Conditions of approval, if any: