

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office Las Cruces

Lease No. 029388 (4)

C		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED

JUN 14 1957

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 5, 1957
Federal Johnson "P"
Well No. 2 is located 660 ft. from N line and 1980 ft. from W line of sec. 15
NE/4, NW/4 Sec. 15 18-S 31-E (Meridian)
(1/4 Sec. and Sec. No.) (Twp.) (Range)
North Shogart **Elly** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plan to drill to Grayburg at approx. 4250', estimated total depth being 4400'.
Plan to set 9-5/8" OD casing, 32.3' at 800' with 400 sacks cement, and 9",
15.50# casing to total depth using 450 sacks cement. All casing will be cemented
and tested by approved method.

SEE OTHER SIDE FOR DISTRIBUTION OF COPIES.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CHIO OIL COMPANY

Address Box 2107

Hobbs, New Mexico

By D. L. Province

Title Superintendent

COPIES TO:

New Mexico OCC

J. A. Grimes

L. E. Cheerer

H. J. Brunt

T. A. Steele

T. O. Kett

Form 9-331a
(Feb. 1951)

C		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Log Cross
Lease No. 083381 (4)
Unit C

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 5, 1957

Federal Johnson #3

Well No. 2 is located 660 ft. from [N] line and 1900 ft. from [W] line of sec. 15

NE 1/4, NE 1/4 Sec. 15 18-6 21-2 (Meridian)

North Shagart (Field) 18-6 (Twp.) 21-2 (Range) New Mexico (State or Territory)

18-6 (County or Subdivision)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plan to drill to Grayburg at approx. 4250', estimated total depth being 4600'.
Plan to set 9-5/8" casing 32.3' at 800' with 400 sacks cement, and 5 1/2",
15.92' casing to total depth using 400 sacks cement. All casing will be cemented
and tested by approved method.

SEE OTHER SIDE FOR DISTRIBUTION OF COPIES.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE CHLO OIL COMPANY

Address Box 2367

Edna, New Mexico

By D. L. Prosser

Title Superintendent

COPIES TO:

New Mexico OGC
J. A. Grimes
L. H. Zimmet
H. J. Brown
T. A. Steele
T. O. Holt