

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

NMOCOD

611 S. 1st

Artesia, N.M. 88211

**WINDY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

JUL 24 1996

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Mack Energy Corporation

3. Address and Telephone No.

P.O. Box 960 Artesia, NM 88211-1359 (505) 748-1288

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 1980' FWL.  
Sec. 18, T. 18S., R. 31E.

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.

LC-029393F

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Shugart 18-Queen Unit

8. Well Name and No.

Shugart 18-Queen Unit #6

9. API Well No.

30-1015-05583

10. Field and Pool, or Exploratory Area

Shugart (YSRON6B)

11. County or Parish, State

Eddy, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- (1) Set 5½ C.I.B.P. at 2920' cap w/35' cement
- (2) Load hole w/mud
- (3) Perforate 5½ casing of base of salt 50' below 1745' squeeze w/40 sxs and tag
- (4) Perforate 5½ casing at base of 8 5/8 shoe and top of salt 50' below and squeeze w/75 sxs and tag cement top at 650'
- (5) Perforate 5½ casing at 60' and circulate cement to surface set P.A. marker

I hereby certify that the foregoing is true and correct

Signed Raymond McElvado Title Supervisor

Date 7-16-96

(This space for Federal or State office use)

Approved by David R. Glass Title PETROLEUM ENGINEER

Date JUL 18 1996

Conditions of approval, if any:

SEE ATTACHED

\* 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See instruction on Reverse Side