

Land Office

Lease No.

Unit

Form 2-231a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYAPPROVED
JUN 16 1958ROBERT F. EVANS
ACTING DISTRICT ENGINEER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 9

19 58

Federal-Litlatfield #12

Well No. 1 is located

660

ft. from

S

line and

660

ft. from

W

line of sec. 22

34 1/4 SW 1/4 Section 22

14-South

11-East

(Meridian)

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

Sagart (Siluro-Duranton)

Sagart County

New Mexico

(State or Territory)

(Field)

The elevation of the derrick floor above sea level is 3454 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill above well with rotary tools to a depth of approximately 13,000'. Casing program is planned as follows:

- 1,000' - 14" OD 45# Grade B-40 Seamless Steel Casing - Surface Casing
- 2,000' - 12-1/4" OD 40-55 Grade J-55 Seamless Steel Casing
- 1,000' - 10-1/8" OD 40-55 Grade J-55 Seamless Steel Casing
- 300' - 10-1/8" OD 51# Grade J-55 Seamless Steel Casing
- 2,000' - 7-1/8" OD 27-75 F-110 Extreme Line Casing
- 5,200' - 7-1/8" OD 27-75 Grade B-40 Extreme Line Casing
- 2,000' - 7-1/8" OD 27-75 Grade B-40 Seals Steel Casing w/ LINC
- 3,100' - 7-1/8" OD 27-75 Grade B-40 Seals Steel Casing w/ LINC

Oil String

The surface string will be cemented with approximately 1200 sacks of cement and circulated to the surface. The intermediate string will be cemented with approximately 1500 sacks and the oil string with approximately 1500 sacks of cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation
Address Box 2167 - Hobbs, New Mexico

ORIGINAL SIGNED

G. F. TAYLOR

By

Title

Area Production Superintendent

APPROVED

JUN 16 1958

ROBERT F. EVANS
ACTING DISTRICT ENGINEER

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A

Date June 5, 1958

Operator Gulf Oil Corp. Lease Federal Littlefield AB
Well No. 1 Unit Letter M Section 22 Township 18 S Range 31 E NMFM
Located 660 Feet From South Line, 660 Feet From West Line
County Eddy G. L. Elevation 3639.74 Dedicated Acreage 40 Acres
Name of Producing Formation Devonian Pool Shugart (Siluro-Devonian)

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes X No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

<u>Owner</u>	<u>Land Description</u>

Section B

← 660' →
↓ 660' ↓

RECEIVED
JUN 12 1958
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Gulf Oil Corporation

(Operator)

E. F. Taylor
(Representative)
Area Production Supt.
Box 2167 - Hobbs, New Mexico

Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed June 5, 1958

John W. West
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 676

INC TOPS PER LAB

WC - 9057
PENN - 10303
STRAWN - 10593
ATOKA - 10992
MOR. 1s - 11443
MOR. CI - 11548
BARNETT - 11988
CHES. - 12212
MERAMIC - 12262
WOODFORD - 12813
S.I/DW - 12903