Form 9-381 a (Feb. 1961) (Feb. 1961)	(SUBMIT IN TRIPLICATE) UNITED STATES	Budget Bureau No. 42-R358.4. Approval expires 12-31-60. Land Office Land Office Company (1997)	
THOUEN F. EVANCE DEPA	UNITED STATES ARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	Unit	

المغتث

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL.	SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY	3		
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)				

Greenwood Unit		<b></b>	January 15,	, 19 🏓
Well No	1984.5 ft. fr	om_ $\left\{ \sum_{i=1}^{N} i \right\}$ line an	d <b>660</b> ft. from $\left\{ \frac{E}{WE} \right\}$ line of set	c. 27
5×/4 10/4 800. 27	7-18-5	B-31-5	** <b>*</b> *	
(1/ Sec. and Sec. No.) <b>Silury</b> Devenian Les fort (Field)	(Twp.)	(Range)	(Meridian)	
(Field)	(Coan	ty or Subdivision)	(State or Territory)	

The elevation of the derrick floor above sea level is \_\_\_\_\_\_ ft. furnish later

\_\_\_\_\_

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

## We propose to drill the above well with rotary tools to an approximate depth of 12,500' to test Siluro-Devenian, Casing program will be as follows:

Size of H	ale Size of Cestur	Parkh	<u>Canada</u>		
22* 19-3/ 9-5/	16" 10-3/4" 7"	709 6390 12,800	Regular nest circulated. As gel commut plus 100 ansks ment circulated. Sufficient commut to cover all indicated pays as determined from log analysis and drill oten test.		
† I understan	d that this plan of work must receive Patt Austrican Potrol	approval in writ	ting by the Geological Survey before operations may be compressed. 1958		
Company	Deux ét		Abritish intXiLE		
	Hobbs, New Heides		By Kaeph Randuckon		

Title Field Superintumient

JAN 17 12 Bections Internet	Van 3	OIL CONSERVATION CC on and Acreage Dedic	DMMISSION	5-056/S Form C-128 Revised 5/1/57 958
Located <u>660</u> County <u>Eddy</u> Name of Producind 1. Is the Operat Yes <u>1</u> 2. If the answer consolidated "yes," Type of 3. If the answer below:	merican Petroleum C    Unit Letter H  Secti   Feet From East   G. L. Elevat    g Formation Siluro D    tor the only owner* in    No  X    r to question one is "    by communitization ag    of Consolidation Unit    r to question two is "	on 27 Town Line, 1984.5 ionFurnish later Ded evonian Poo the dedicated acrea no," have the intere reement or otherwise c Agreement (See NMOC no," list all the ow	Feet From North Feet From North licated Acreage Shugart Siluro ge outlined on the sts of all the owne ? Yes No CG Order 712	h Line 40 Acres -Devonian plat below? rs been If answer is ective interests RECEIVED PAN AMERICA
Section. B		1984 <u>• 5</u>	JAN U.S. G Information above is true to the best of and belief. Pan American (Creration (Creration)	JAN 9 1958 HOBBS, N. M. FS FC FC FC FC FC FC FC FC FC FC FC FC FC
310 660 990 1320	1050 1980 2310 2640 20 (See instructions fo:		Address This is to ce well location plat in Secti from field no surveys made my supervisio same is true the best of m belief. Date Surveyed Registered Pr Engineer and	ertify that the shown on the on B was plotted tes of actual by me or under n and that the and correct to y knowledge and <u>1-7-1958</u> <u>U. U.S.</u> ofessional or Land Surveyor.

JOHN W. WEST ENGINEERING COMPANY

412 HORSE DAL BASD HOBES, NEW MEXICO

January 8, 1958

Pan American Petroleum Corp. Box 68 Hobbs. New Mexico

Gentlemen:

January 7, 1958, a survey was made to locate your Greenwood Unit Lease, Well No. 3 at a point 660 feet from the chet and south lines of the NE<sup>1</sup>/<sub>4</sub> Sec. 27, Twp. 18 South, Range 31 East, NMPM. Eddy County, New Mexico.

The notheast corner and southeast corner marker of section 27 was located but the quarter corner had been destroyed. A flag was set at the two corners and the transit was wiggled in on the line between the two markers. We then chained from the northeast corner south 1980 feet and set a stake and then continued chaining on south a distance of 5289.0 feet to the southeast corner, making the section 9 feet long. This makes the quarter corner 2644.5 feet south of the northeast corner; we then chained 4.5 feet south from our stake we had set at 1980 and set the transit on that and turned 90°04' to the west and chained 660.0 feet to the location.

I hereby certify that the foregoing survey was made in the field under my supervision and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,

John W. West

RECENTION 1 U. S. Utures ARTESIA, NEW MEXILE