9-881 a 5, 1951)	2. 1	N. M. O. C. (SUBMIT IN TRI		Land Office (123)		
		-		Loase No. REELTS		
	VEV	UNITED ST		Unit APR 1 0 1961		
DEPARTMEN				APK 10		
	5 1961 DEPA	GEOLOGICAL	SURVEY	0 F. F.		
	MAUF!	Λ		D.C. F.		
	TRICT AL HOLDE	-		N WELLS		
SI	JNDRY NOTI	CES AND	REPORTS O			
		1 🖤 11		TER SHUT-OFF		
OTICE OF INTENTI	ON TO DRILL			OTING OR ACIDIZING		
THE OF INTENTS	ON TO CHANGE PLANS		THE REPORT OF ALT	TERING CASING		
THE OF INTENT	ON TO TEST WATER SHUT-OF	F	THE REPORT OF RE-	DRILLING OR REPAIR		
A A A ANTENT	ION TO RE-DRILL OR REPAIR	WELC	INCEOUENT REPORT OF AB	ANDONMENT		
IOTICE OF INTENT	ION TO SHOOT OR ACIDIZE	IG	JPPLEMENTARY WELL HIST	0RY		
NOTICE OF INTENT	ION TO PULL OR ALTER CASH					
NOTICE OF INTENT	ION TO ABANDON WELL			THEP DATA)		
	(INDICATE ABOVE B	Y CHECK MARK NATURE	E OF REPORT, NOTICE, OR O	RI		
	Υ.		APRIL 5TH	, 19		
SAUGAS	2.1)	t. from $\left\{ \begin{array}{c} \mathbf{E} \\ \mathbf{F} \end{array} \right\}$ line of sec. 29		
	is located	• ft. from S	line and			
Vell No.		ng SI	N.N.1	P. X.		
SE 38 3) A G ()	(Dong)	(Meridi	an)		
	(0 No) / (T Mb·/	A.	SH KBXICO		
(14 Sec. an.		AC 33675				
SEUGLE	Culurin Jallo	County or Subd	livision)	(State or permission) CEVED		
SEUGLA	eld)	(County or Subd		2 7. Same range wirder at 1 Marshall Range		
SEUGLA	eld)	(County or Subd		(State of NED APR 5 1961		
From	of the detrick floor	(County or Subd	s ft.	APR 5 1961		
(State names of all	of the dorrick floor	(County or Subd above sea level is DETAILS ye sands; show sizes, we g points, and all other i	S ft. OF WORK sights, and lengths of prop important proposed work)	APR 5 1961 U.S. G. AL SURV osed casings; indicate mudding job, construction Arristic, hew MEXICO		
(State names of all BOOD I (State names of all BOOD I CASING BOOD I	eld of the derrick floor and expected depths to objection o DRILL THE EST. EXPECT AND OEXENT THE OF 7" OA CASING AND	(County or Subd above sea level is DETAILS ve sands; show sizes, we g points, and all other is A DOVE WELL SO RUN AI WITH 50 BA SING ANE O FREAT.	S ft. OF WORK sights, and lengths of prop important proposed work) WITH CABLE PROLINATEL	APR 5 1961 APR 5 1961 APR 5 1961 AL SURV APPROXIMATION TOOLS TO APPROXIMAT 750 FEST OF 8-5/8* TO RUN APPROXIMATELY 75 SACKS, PERFORATE		
(Fi The elevation (State names of al PLAN 2 2800 I CABING 2800 I T II understan Company	d that this plan of work mus	(County or Subd above sea level is DETAILS ve sands; show sizes, we g points, and all other i A BOVE WELL SO RUN ALL SO R	S ft. OF WORK sights, and lengths of prop- important proposed work) WITH CABLA PROXINATELT ACKS. PLAN CEMENT WITH LDON PLAT A	APR 5 1961 APR 5 1961 APR 5 1961 AL SURV APPROXIMATION TOOLS TO APPROXIMAT 750 FEST OF 8-5/8* TO RUN APPROXIMATELY 75 SACKS, PERFORATE		
(Fi The elevation (State names of al PLAN 2 2800 I CABING 2800 I T II understan Company	d that this plan of work mus	(County or Subd above sea level is DETAILS ve sands; show sizes, we g points, and all other i A BOVE WELL SO RUN ALL SO R	S ft. OF WORK sights, and lengths of prop- important proposed work) WITH CABLA PROXINATELT ACKS. PLAN CEMENT WITH LDON PLAT A	APR 5 1961 O.S. G. J. MAL SURV Mexico and Casings; indicate mudding job, construct Milling indicates and the second second TOOLS TO APPROXIMAT 750 FEET OF 8-5/8* TO RUN APPROXIMATELN 75 SACKS, PERFORATE TACKED)		
(Fi The elevation (State names of al PLAN 2 2800 I CABING 2800 I T II understan Company	d that this plan of work mus	(County or Subd above sea level is DETAILS ve sands; show sizes, we g points, and all other i A BOVE WELL SO RUN ALL SO R	S ft. OF WORK sights, and lengths of prop- important proposed work) WITH CABLA PROXINATELT ACKS. PLAN CEMENT WITH LDON PLAT A	APR 5 1961 O.S. G. J. MAL SURV Mexico and Casings; indicate mudding job, construct Milling indicates and the second second TOOLS TO APPROXIMAT 750 FEET OF 8-5/8* TO RUN APPROXIMATELN 75 SACKS, PERFORATE TACKED)		

		LUCAI	IUN ANL	ACRI	AGE D	EDICATIO	N PLA	STELVED	
	SEE II	NSTRUCTION	S FOR COM	PLETING	THIS FOR	M ON THE RE	VERSE SID	RECEIVED	
					DN A				
Operator Lease					Straam	ant A		APRveli 0. 1961	
it Letter	Section	Township		Ran	ge	County		D. C. C.	
7	29	-	18 8		31 B		Mády	ARTESIA, CFFIDE	
	ocation of Well:								
330	feet from the	south	line and	-	90	feet from the	east	line	
ound Level Ele	v. Producing I	ormation		Pool				Dedicated Acreage:	
				<u> </u>				Acre	
who has the rig another. (65- lf the answer t wise? YES	ght to drill into an -3-29 (e) NMSA 19 to question one is NO	nd to produce 935 Comp.) "'no," have t If answer is '	from any poo he interests 'yes,'' Type	i and to a of all the of Conso	owners be	the production en consolidated	either for hi by commun	, ("Ouner" means the person miself or for himself and itization agreement or other-	
	to question two is	"no," list al	l the owners	and their			v:	VEIVE	
vner					Land Des	cription		APR 5 1961	
					<u></u>			MALESIA NEW MEXI	
		SECTI	ON B				-	CERTIFICATION	
					I		5	certify that the information ION A above is true and com	
	1				ļ		1	the best of my knowledge an	
					1		belief.	in a contract of the second of	
	1				1		A		
					ĺ		Name	VID ROCK HAND	
•							Postia	ALBERTH.	
					i		rosition		
							Company	Ayda 1	
	ł							RSON & JELCH	
	1				1		Date AP	RIL 5, 1961	
							i <u></u>		
	l						I hereby	certify that the well location	
	8							the plat in SECTION B was	
	1						plotted fo	om field notes of actual	
					1			nade by me or under my	
								on, and that the same is true	
								et to the best of my knowled	
							and belie	Ι,	
		Ĩ			1				
	ļ				I		Date Surv	eyed	
							Jac		
					1	acal	register	ed Professional Engineer	
	ľ				0	_990' _	and/ort.		
					0	740'	and/or La	and Surveyor	

· • • •

and the second s

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acteage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.