

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. Copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL	<input type="checkbox"/>	NOTICE OF INTENTION TO DRILL DEEPER	<input type="checkbox"/>
NOTICE OF INTENTION TO PLUG WELL	<input type="checkbox"/>	NOTICE OF INTENTION TO PLUG BACK	<input type="checkbox"/>	NOTICE OF INTENTION TO SET LINER	<input type="checkbox"/>
NOTICE OF INTENTION TO SQUEEZE	<input type="checkbox"/>	NOTICE OF INTENTION TO ACIDIZE	<input type="checkbox"/>	NOTICE OF INTENTION TO SHOOT (Nitro)	<input type="checkbox"/>
NOTICE OF INTENTION TO GUN PERFORATE	<input type="checkbox"/>	NOTICE OF INTENTION (OTHER)	<input type="checkbox"/>	NOTICE OF INTENTION (OTHER)	<input type="checkbox"/>

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Hobbs, New Mexico

(Place)

February 10, 1961

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the Sunray Mid-Continent Oil Company

(Company or Operator) N. M. State "Y" Well No. 1 in 9  
SW NE 1/4 of Sec. 32, T. 18S, R. 31E, NMPM, and Queen Grayburg (Unit)  
 (40-acre Subdivision) Eddy County. Pool

## FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

We propose to revise the drilling and completion program of this well as follows (as per previous C-103, 8 5/8" surface casing has already been set).

1. Drill 8" hole to approximately 3000' and 6" hole on to approximately 3800' TD.
2. Run 2 strings of 2 7/8" buttress thd 6.4# J-55 casing, long string to TD and short string at approximately 2800'.
3. Cement down long string to bring cement up to the short string and cement down short string to bring cement up to approximately 2000'. Plan to use centralizers on 30' spacing over lower pay and turbulizers on each joint of both strings over upper pay.
4. Run Temperature Survey.
5. Perforate Queen Grayburg (3200-3700') in long string with conventional tubing gun. Perforate Yates in short string at approximately 2625' using an orientation tool to prevent perforating the long string.
6. Fracture both zones with refined oil and sand and put both zones on production.

NOTE: Examiner Hearing for this tubingless dual completion was held February 8, 1961. Case No. 2175

Approved....., 19.....  
 Except as follows:

FEB 20 1961

SUNRAY MID-CONTINENT OIL COMPANY R-1875  
 (Company or Operator)

By R. E. Statton

Position District Engineer  
 Send Communications regarding well to:

Approved  
 OIL CONSERVATION COMMISSION

By W. A. Gressett

Title OIL AND GAS INSPECTOR

Name C. T. McClanahan

Address P. O. Box 128, Hobbs, New Mexico

## OIL CONSERVATION COMMISSION

## ARTESIA DISTRICT OFFICE

No. Copies Received

DISPATCHED

	DISPATCHED	
OPERATOR		
SANTA FE		
PRORATION OFFICE		
STATE LAND OFFICE		
U. S. G. S.		
TRANSPORTER		
FILE		
BUREAU OF MINES		