Form 3160-5 (June 1990) D1	UNITED STATES EPARTMENT OF THE INTERIOR	NM OI: ONS COMM Drawer DD Artesia, NM 882]	O FORM APPROVED Budget Bureau No. 1004-0135
	REAU OF LAND MANAGEMENT		Expires: March 31, 1993 5. Lease Designation and Serial No.
CUNDRY	NOTICES AND REPORTS ON W		NM10190
Do not use this form for prop	posals to drill or to deepen or reentry CATION FOR PERMIT—" for such pro-	to a different Deservoir.	6. If Induan, Allonge or Trube Name
I. Type of Well	SUBMIT IN TRIPLICATE	Jhr 21.'94	7. If Unit or CA. Agreement Designation 14-08-001-11572
Other	WIW	O. C. D. BRICHA, OFFICE	8. Well Name and No. East Shugart Unit #6
Devon Energy Corporat.	ion (Nevada) :/		9. API Well No. 30-015-05696
	100, окс, ок 73102-8260	405/235-3611	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			Shugart (Y-SR-Q-G)
990' FNL & 2310' FWL,	Section 35-T18S-R31E, Unit	С	11. County or Parish, State Eddy, NM
CHECK APPROPRI	ATE BOX(S) TO INDICATE NATUR	RE OF NOTICE, REPOR	T, OR OTHER DATA
		TYPE OF ACTION	
VANotice of Intent	Abendoemen	-	Change of Plans
Subsequent Report	Recompletion		New Construction
- · ·	Casing Repair		Water Shut-Off
Final Abandonment Notice		• integrity test	Conversion to Injection
		Incegiicy test	Dispose Water
3. Describe Proposed or Completed Operations give subsurface locations and measured	(Clearly state all pertinent details, and give pertinent dat and true vertical depths for all markers and zones per	st, including estimated date of starting a timest to this work.)*	(Note: Report results of multiple completion on V Completion or Recompletion Report and Los for
give subsurface locations and measures (1) (2)	(Clearly state all pertinent details, and give pertinent dat a and true vertical depths for all markers and zones per Rig up pump truck on casing. Load casing with water and pre BLM will be notified 24 hours prio	essure test to 500 psi for	(Note: Report results of multiple completion on W Completion of Recompletion Report and Log for all proposed work. If well is directionally dr 30 mins.
give subsurface locations and measured (1) (2)	Rig up pump truck on casing. Load casing with water and pro BLM will be notified 24 hours prio decorrect Candace Mahan Title Engineer	essure test to 500 psi for	(Note: Report results of multiple completion on W Completion or Recompletion Report and Log for my proposed work. If well is directionally dr 30 mins.
(1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Rig up pump truck on casing. Load casing with water and pro- BLM will be notified 24 hours prio BLM will be notified 24 hours prio decorrect Candace Mahan Title Engineer	essure test to 500 psi for or to testing. R. Graham ing Tech.	1 Note: Report results of multiple completion on V Completion of Recompletion Report and Log for my proposed work. If well is directionally dr 30 mins. 20 2 2 7 10 2 7

•

1

(Rev. 5/23/94)

. . .

BUREAU OF LAND MANAGEMENT CARLSBAD RESOURCE AREA

Temporary Abandonment of Wells on Federal Lands

Conditions of Approval

According to 43 CFR 3162.3-4-c, " No well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer".

Temporary Abandonment (TA) status approval requires a successful casing integrity test as follows:

- 1. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County call (505) 887-6544 ; for wells in Lea County call (505) 393-3612.
- 2. A bridge plug or packer shall be set at a maximum of 50 feet above any open perforations or open hole.
- 3. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.

Ţ

4

4. The production casing shall be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leak-off.

Wells that successfully pass the casing integrity test will be approved for Temporary Abandonment (TA) status for 12 months provided that the operator:

1. Submits a subsequent Sundry Notice requesting TA approval,

2. Attaches a clear copy or the original of the pressure test chart,

3. And attaches a detailed justification why the well should not be plugged and abandoned.

The TA status could be extended without another casing integrity test provided there was no leak-off during the test.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

1. A procedure to repair the casing so that a TA approval can be granted.

2. A procedure to plug and abandon the well.