

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

FORM APPROVED

C/SF

(See later in-
structions on
reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ DRY ☐ Other WW

b. TYPE OF COMPLETION: NEW WELL ☐ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR ☐ Other completion/Order WFX-683

2. NAME OF OPERATOR

DEVON ENERGY CORPORATION (NEVADA)

3. ADDRESS AND TELEPHONE NO.

20 N. BROADWAY, SUITE 1500, OKC, OK 73102-8260 (405) 235-3611

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1980' FSL & 660' FWL

At top prod. interval reported below (SAME)

At total depth (SAME)

5. LEASE DESIGNATION AND SERIAL NO.
NM-101906. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A7. UNIT AGREEMENT NAME
14-08-001-11572 East Shugart Unit8. FARM OR LEASE NAME, WELL NO.
East Shugart Unit #209. API WELL NO.
30-015-11572 0570210. FIELD AND POOL, OR WILDCAT
Shugart (Y-SR-Q-G)11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Unit L
Section 35-R18S-T31E

14. PERMIT NO.

DATE ISSUED 1/25/97
RECEIVED
OCD - ARTESIA12. COUNTY OR PARISH
Eddy13. STATE
NM15. DATE SPUDDED
7/30/3716. DATE T.D. REACHED
8/1/3717. DATE COMPL. (Ready to prod.)
10/22/97

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD
4088' in 193721. PLUG, BACK T.D., MD & TVD
PBTD 3400' in 193722. IF MULTIPLE COMPL., HOW MANY*
N/A23. INTERVALS
DRILLED BYROTARY TOOLS
X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
Queen 3416-1862'25. WAS DIRECTIONAL SURVEY
MADE
No26. TYPE ELECTRIC AND OTHER LOGS RUN
no new logs run...original logs on file27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
10" in 1937		903'	12-1/4"	50 sx; TOC est @ 733'	
6-5/8" in 1937		3000'		100 sx; TOC surf via 3/4" string	
4&4-1/2" J-55	11.35# & 10.5#	3966'		150 lite "C" & 250 sxs "C"	TOC @ 2600'

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
5-1/2" existing	2930	3327	100, TOC @ 2930'		2-1/16"	nickle plated pkr	3358'

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

3416-3862' w/40 holes (.44" EHD) Queen

32. ACID SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3416-3862'	4000 gals 15% NeFe acid

33.* PRODUCTION

DATE FIRST PRODUCTION PRODUCTIONS METHOD 1 (Flowing, gas lift, pumping—size and type of pump)
WATER INJECTION WELL

WELL STATUS (Producing or shut-in)

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL-BBL.	GAS-MCF.	WATER-BBL.	GAS-OIL RATIO
--------------	--------------	------------	------------------------	----------	----------	------------	---------------

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBL.	GAS-MCF.	WATER-BBL.	OIL GRAVITY-API (CORR.)
---------------------	-----------------	-------------------------	----------	----------	------------	-------------------------

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Diana Kuy for E.L. Buttross, Jr. TITLE DISTRICT ENGINEER

DATE February 27, 1998

*(See Instructions and Spaces for Additional Data on Reverse Side)

RECEIVED

MAR 13 '98

Room 1000

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Yates Queen			sand and dolomite sand and dolomite			
		DEPTH	ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.. (continued from the front)	Rustler Salt Yates Queen Grayburg		
			N/A			

RECEIVED

MAR 13 '98

BLM
ROSWELL, NM