Form <b>9-331 a</b> (Feb. 1951)			Approval expires 12-31-60.		
	(SUBMET IN FRIPLICATE)		Losso N.06 9033		
APPROVED	UNITED	STATES	Losso NOVY YY JJ		
AFT DE	PARTMENT C	F THE INTERIOR	RECEIVED		
JAN 1 1 130 (HOR	GEOLOGIC	AL SURVEY	RECE JAN 1 7 1961		
JAN I I TO AND			JAN 1 7 1901		
A. A. BRUWN ACTING DISTRICT ENGINEER			~		
SUNDRY NO	TICES ANI	D REPORTS ON	N WELLS. C. L.		
NOTICE OF INTENTION TO DRILL	X.	SUBSEQUENT REPORT OF WATER			
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOT			
NOTICE OF INTENTION TO TEST WATER SHUT		SUBSEQUENT REPORT OF ALTER			
NOTICE OF INTENTION TO RE-DRILL OR REP.		SUBSEQUENT REPORT OF RE-DR			
NOTICE OF INTENTION TO SHOOT OR ACIDIZ	1	SUBSEQUENT REPORT OF ABAND			
NOTICE OF INTENTION TO PULL OR ALTER C		SUFILEMENTANT WELL HISTON			
NOTICE OF INTENTION TO ABANDON WELL					
(INDICATE ABO)	E BY CHECK MARK NAT	URE OF REPORT, NOTICE, OR OTHE	R DATA)		
		January 10	, 19		
Somelly Feather	stone Fed.		, ,		
Well No. 2 is located 9		N line and <b>330</b> ft. fr	$\left\{ \frac{E}{E} \right\}$ line of sec. 2		
Well INO Is located 2		5			
MRIA San & Chatll	195 513	N.M.P.N.			
(1/ Sec. and Sec. No.)	(Twp.) (Ran				
Culwin	Eddy (County or Sul	Xev	(State or Territory)		
(Field)	(County of Su	salvision)	(State of Territory)		
0					
Grewnd The elevation of the detrick floor	above sea level	is <b>3584</b> ft.			
Grewnd The elevation of the derrick floor					
The elevation of the derrick floor	DETAILS	OF WORK			
The elevation of the derrick floor	DETAILS	OF WORK eights, and lengths of proposed c	asings; indicate mudding jobs, cem		
(State names of and expected depths to object	DETAILS ive sands; show sizes, w ng points, and all other	OF WORK eights, and lengths of proposed c important proposed work)			
(State names of and expected depths to object	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand	OF WORK eights, and lengths of proposed c important proposed work) by use of rotes			
(State names of and expected depths to object	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell	OF WORK eights, and lengths of proposed c important proposed work) by use of rotal lows:	y tools. Our		
The elevation of the derrick floor (State names of and expected depths to object propose to test the reposed casing program a 250' - 8 5/8" OD SH	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan lows: d circulate cess	ry tools. Our		
The elevation of the derrick floor (State names of and expected depths to object propose to test the reposed casing program an 250 <sup>1</sup> - 8 3/8" OD SH	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell I Casing and lew Casing a	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan lows: d circulate com and compate w/125	ry tools. Our nt i sx.		
The elevation of the derrick floor (State names of and expected depths to object in propose to test the reposed casing program as 250' - 8 3/8" OD SH as 3400' - 4 1/2" OD N Ther test is made and	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and iew Casing a if well pro	OF WORK eights, and lengths of proposed c important proposed work) by use of rotas lows: d circulate ceme and cement w/125 oves to be a cem	y tools. Our nt isx. mercial well, th		
The elevation of the derrick floor (State names of and expected depths to object in propose to test the reposed casing program a 250' - 8 5/8" OD SH a 3400' - 4 1/2" OD N (ter test is made and	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and is Well pro-	OF WORK eights, and lengths of proposed c important proposed work) by use of rotas lows: d circulate com and compate w/125 over to be a com by use of 1" tul	y tools. Our ist ist. mercial well, th ing.		
The elevation of the derrick floor (State names of and expected depths to object proposed casing program in 250' - 8 3/8" OD SH in 3400' - 4 1/2" OD H (ter test is made and 1/2" casing vill be t	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and lew Casing a if well pro- tro-staged b	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan leve: d circulate come and coment w/125 pves to be a come by use of 1" tul and 4 1/2" casing	y tools. Our ist ist. moreial well, th ing. : with bettom of		
The elevation of the derrick floor (State names of and expected depths to object in propose to test the reposed casing program a 250' - 8 5/8" OD SH a 3400' - 4 1/2" OD N (ter test is made and	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and lew Casing a if well pro- tro-staged b	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan leve: d circulate come and coment w/125 pves to be a come by use of 1" tul and 4 1/2" casing	y tools. Our ist ist. moreial well, th ing. : with bettom of		
The elevation of the derrick floor (State names of and expected depths to object proposed casing program in 250' - 8 3/8" OD SH in 3400' - 4 1/2" OD H (ter test is made and 1/2" casing vill be t	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and lew Casing a if well pro- tro-staged b	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan leve: d circulate come and coment w/125 pves to be a come by use of 1" tul and 4 1/2" casing	y tools. Our ist ist. moreial well, th ing. : with bettom of		
The elevation of the derrick floor (State names of and expected depths to object proposed casing program in 250' - 8 3/8" OD SH in 3400' - 4 1/2" OD H (ter test is made and 1/2" casing vill be t	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and lew Casing a if well pro- tro-staged b	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan leve: d circulate come and coment w/125 pves to be a come by use of 1" tul and 4 1/2" casing	y tools. Our ist ist. moreial well, th ing. : with bettom of		
The elevation of the derrick floor (State names of and expected depths to object proposed casing program in 250' - 8 3/8" OD SH in 3400' - 4 1/2" OD H (ter test is made and 1/2" casing vill be t	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and lew Casing a if well pro- tro-staged b	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan leve: d circulate come and coment w/125 pves to be a come by use of 1" tul and 4 1/2" casing	y tools. Our ist ist. moreial well, th ing. : with bettom of		
The elevation of the derrick floor (State names of and expected depths to object in proposed casing program an 250' - 8 5/8" OD SH an 3400' - 4 1/2" OD H (ter test is made and 1/2" easing will be to ax. comment will be p abing at approximate 8	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and if well pro- two-staged is umped arous	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan leves d circulate ceme and coment w/125 pves to be a com by use of 1" tul and 4 1/2" casing we hope to start	y tools. Our mt isx. moreiel woll, th ing. with bottom of drilling in day D E C 10000000000000000000000000000000000		
The elevation of the derrick floor (State names of and expected depths to object proposed casing program in 250' - 8 3/8" OD SH in 3400' - 4 1/2" OD H (ter test is made and 1/2" casing vill be t	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and if well pro- two-staged is umped arous	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan leves d circulate ceme and coment w/125 pves to be a com by use of 1" tul and 4 1/2" casing we hope to start	y tools. Our sx. moreiel woll, th ing. with bottom of drilling in day D E C 2 1000 UN 1000 UN 1000		
The elevation of the derrick floor (State names of and expected depths to object in proposed casing program an 250' - 8 5/8" OD SH an 3400' - 4 1/2" OD H (ter test is made and 1/2" easing will be to ax. comment will be p abing at approximate 8	DETAILS ive sands; show sizes, w ng points, and all other Queen Sand is as fell Casing and is well pro- tow-staged is oumped arous 140 feet.	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan lows: d circulate comp and compart w/125 by use of 1 <sup>st</sup> tul and 4 1/2" casing we hope to start	y tools. Our mt isx. moreiel woll, th ing. with bottom of drilling in day D E C 10000000000000000000000000000000000		
The elevation of the derrick floor (State names of and expected depths to object propose to test the reposed casing program a 250' - 8 5/8" OD SH a 5400' - 4 1/2" OD H (ter test is made and 1/2" easing vill be to ax. company vill be to a approximate S I understand that this plan of work must Company Dennelly Drive	DETAILS ive sands; shew sizes, w ng points, and all other Queen Sand is as fell Casing and if well pro- sumped aroun 140 feet.	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan lows: d circulate comp and compart w/125 by use of 1 <sup>st</sup> tul and 4 1/2" casing we hope to start	y tools. Our sx. moreiel woll, th ing. with bottom of drilling in day D E C 2 1000 UN 1000 UN 1000		
The elevation of the derrick floor (State names of and expected depths to object in propose to test the reposed casing program in 250' - 8 5/8" OD SH in 3400' - 4 1/2" OD N (ter test is made and 1/2" easing will be to a sx. coment will be p abing at approximate 8 I understand that this plan of work must Company Dennelly Dri	DETAILS ive sands; shew sizes, w ng points, and all other Queen Sand is as fell Casing and if well pro- sumped aroun 140 feet.	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan lows: d circulate comp and compart w/125 by use of 1 <sup>st</sup> tul and 4 1/2" casing we hope to start	y tools. Our at ax. moreial woll, th ing. with bottom of drilling in day D. E. C. E. M. J. M. M. M. A. A. E. A. M. M. M.		
The elevation of the derrick floor (State names of and expected depths to object propose to test the reposed casing program a 250' - 8 5/8" OD SH a 3400' - 4 1/2" OD H (ter test is made and 1/2" easing vill be to ax. commt vill be to ax. commt vill be to a approximate 8 I understand that this plan of work must Company Dennelly Dri Address P. 0. Box 43	DETAILS ive sands; shew sizes, w ng points, and all other Queen Sand is as fell Casing and if well pro- sumped aroun 140 feet.	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan lows: d circulate comp and compart w/125 by use of 1 <sup>st</sup> tul and 4 1/2" casing we hope to start	y tools. Our sx. moreiel woll, th ing. with bottom of drilling in day D E C 2 1000 UN 1000 UN 1000		
The elevation of the derrick floor (State names of and expected depths to object propose to test the reposed casing program a 250' - 8 5/8" OD SH a 5400' - 4 1/2" OD H (ter test is made and 1/2" easing vill be to ax. company vill be to a approximate S I understand that this plan of work must Company Dennelly Drive	DETAILS ive sands; shew sizes, w ng points, and all other Queen Sand is as fell Casing and if well pro- sumped aroun 140 feet.	OF WORK eights, and lengths of proposed c important proposed work) by use of rotan lows: d circulate comp and compart w/125 by use of 1 <sup>st</sup> tul and 4 1/2" casing we hope to start	y tools. Our mt sx. moreiel well, th ing. with bottom of drilling in day D. E. C. A. M. M. M. E. M. M. MEN A. C. E. M. MEN A. C. E. M. MEN A. C. E. M. MEN A. C. E. M. M. M. M. C. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M. M		

NUMBER OF COPIE	ES RECEIV	ED	
DH	TRIBUTIC	N	
SANTA PE			
FILE			
U.S.G.S.			
LAND OFFICE			
TRANFORTER	OIL		
	GAS		
PRORATION OFFI		· · · ·	
OPERATOR			

## FORM C-128 Revised 5/1/57 NEW MEXICO OIL CONSERVATIO., COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

## SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

Operator	<u> </u>		SECTI Lease	A			Well No.	
-	Lly Drilling G			doral (1	bethereb	in the second	wen no.	3
Unit Letter	Section	Township	Ran		County		. <u> </u>	
<b>A</b>	5	19 South		-	Eð	<del>69</del>		
Actual Footage	Location of Well:						<u> </u>	
990	feet from the	Nerth	line and <b>330</b>	fe	et from the	Zast	line	
Ground Level El	ev. Producing	Formation	Pool			The second se	Dedicated Acrea	ge:
3584							40	Acres
wbo bas the s another. (65 2. If the answer wise? YES_	right to drill into a -3-29 (e) NMSA 1 to question one is NO	n the dedicated ac nd to produce from 935 Comp.) ""no," have the in If answer is "yes, "no," list all the	any pool and to a nterests of all the ," Type of Conso	appropriate the owners been lidation	e production of consolidated terests below	either for him by communit	self or for bimse. ization agreemen	If and t or other-
		······	· · · · · · · · · · · · · · · · · · ·				J. 11	1961
		<del></del>					<u>. 5. ûzu-uild</u>	
		SECTION	В			7	CERTIFICATIO	MEXICO
[	ļ	R 31 B						
ļ	1			l	-1	-	certify that the in	
	1				08	1	ON A above is tr	-
					<u> </u>	1	ne best of my kno	wiedge and
	i				1	belief.	Davillia	~ ( ~
	Í				2 :330		y Drillin	g co.,
					ĸ	Name	4/)our	1 (G
<b> </b>	<b></b>					Position		
	ļ			ļ		Pr	esident 4	$\mathcal{O}$
	1			!		Company		
						Donne11	y Drillin.	g Co.,
					1	Date	<b>X</b>	- <u>-</u> -
						Jan	uary 10,	1961
			····.					
						shown on plotted fro surveys m supervisio	ertify that the we the plat in SECT om field notes of ade by me or und on, and that the s at to the best of r	ION B was actual er my ame is true
	1					<b></b>		±
	i			Ì		Date Surve	-	
1	İ			1			eenber, 28, 19	
				ļ		-	d Professional E	ngineer
						1 1/ 1		
	l					and/or La	nd Surveyor	7
						$h_{-}$	nd Surveyor	1

. **₹** 

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.