orm 9-331a	
Feb. 1951)	Land Office
(SUBMIT IN TRIPLIC	CATE)
UNITED STAT	
DEPARTMENT OF THE	
GEOLOGICAL SUF	RVEY
SUNDRY NOTICES AND RE	PORTS ON WELLS
OTICE OF INTENTION TO BRIEL	ENT REPORT OF WATER SHUT-OFF
	ENT REPORT OF SHOOTING OR ACIDIZING
	ENT REPORT OF ALTERING CASING
	ENT REPORT OF ABANDONMENT
	ENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MARK NATURE OF REF	PORT, NOTICE, OR OTHER DATA)
MERSONNA Comta St Read-Redown? Internet	•• 12 , 19 99
PERATION: Sun's \$1, Read-Federal Asymptot	······································
/ell No. 1 is located 1980 ft. from $\begin{bmatrix} \mathbf{A} \\ \mathbf{S} \end{bmatrix}$ line a	and 1980 ft. from $\left\{\begin{matrix} \mathbf{x} \\ \mathbf{W} \end{matrix}\right\}$ line of sec. 20
SN/4 Section 20 193 31E	MOPM
(1/2 Sec. and Sec. No.) (Twp.) (Range)	(Meridian) Next Marrian
(Field), (County or Subdivision)	(State or Territory)
	when the two monomitant Textures
he elevation of the derrick floor above sea level is	
he elevation of the derrick floor above sea level is DETAILS OF W	ORK
he elevation of the derrick floor above sea level is DETAILS OF W	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work)
he elevation of the derrick floor above sea level is DETAILS OF W State names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work)
The elevation of the derrick floor above sea level is	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) atce Sand
he elevation of the derrick floor above sea level is DETAILS OF We state names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important Proposed depth approximately 2350 ¹ to test H Casing Program 13-3/8" ong to 620 ¹ Circulate C 8-5/3" ong to 1960 ¹ Cement with	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ates Sand count 50 secks (for testing only)
he elevation of the derrick floor above sea level is DETAILS OF W tate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important Proposed depth approximately 2350 ¹ to test H Casing Program 13-3/8" ong to 620 ¹ Circulate C 8-5/3" ong to 1960 ¹ Cement with 5-1/2" ong to Totel Depth, ceme	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ates Sand examt 50 secks (for testing only) at to surface
he elevation of the derrick floor above sea level is DETAILS OF W tate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important Proposed depth approximately 2350 ¹ to test H Casing Program 13-3/8" ong to 620 ¹ Circulate C 8-5/3" ong to 1960 ¹ Cement with 5-1/2" ong to Totel Depth, ceme	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) atos Sand count 50 masks (for testing only) at to surface RECEIVED
he elevation of the derrick floor above sea level is DETAILS OF We tate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important Proposed depth approximately 2350 ¹ to test He Casing Program 13-3/8" ang to 620 ¹ Circulate C 8-5/8" asg to 1960 ¹ Cement with 5-1/2" asg to 1960 ¹ Cement with 5-1/2" asg to Totel Depth, ceme	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ates Sand examt 50 secks (for testing only) at to surface
he elevation of the derrick floor above sea level is DETAILS OF W itate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important Proposed depth approximately 2350 ¹ to test H Casing Program 13-3/8" ang to 620 ¹ Circulate C 8-5/3" asg to 1960 ¹ Cement with 5-1/2" asg to 1960 ¹ Cement with 5-1/2" asg to Totel Depth, ceme	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ates Sand scenant 50 secks (for testing only) at to surface RECEIVED NOV 1 6 1959
he elevation of the derrick floor above sea level is DETAILS OF We tate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important roposed depth approximately 2350 ¹ to test He maing Program 13-3/8" ong to 620 ¹ Circulate C 8-5/3" ong to 1960 ¹ Cement with 5-1/2" ong to Total Depth, ceme important	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) atos Sand 50 secks (for testing only) at to surface RECEIVED NOV 1 6 1959 U. S. GEOLOGICAL SURVEY
he elevation of the derrick floor above sea level is DETAILS OF We intenames of and expected depths to objective sands; show sizes, weights, and ing points, and all other important roposed depth approximately 2350' to test He maing Program 13-3/8" ong to 620' Circulate C 8-5/3" ong to 1960' Cement with 5-1/2" ong to 1960' Cement with 5-1/2" ong to 7.D. Hero Lateralog 1700' to T.D.	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) atos Sand 50 secks (for testing only) at to surface NOV 1 6 1959 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO
he elevation of the derrick floor above sea level is	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ateo Sand count 50 metrics (for testing only) at to surface RECEIVED NOV 1 6 1959 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO a Geological Survey before operations may be commenced.
he elevation of the derrick floor above sea level is DETAILS OF We state names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important Proposed depth approximately 2350 ¹ to test H Casing Program 13-3/8" eng to 620 ¹ Circulate C 8-5/3" eng to 1960 ¹ Cement with 5-1/2" eng to 1960 ¹ Cement with 5-1/2" eng to T.D. Micro Latereleg 1700" to T.D.	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ateo Sand count 50 metrics (for testing only) at to surface RECEIVED NOV 1 6 1959 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO a Geological Survey before operations may be commenced.
he elevation of the derrick floor above sea level is	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ateo Sand count 50 metrics (for testing only) at to surface RECEIVED NOV 1 6 1959 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO a Geological Survey before operations may be commenced.
he elevation of the derrick floor above sea level is DETAILS OF We tate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important roposed depth approximately 2350' to test He maing Program 13-3/8" ong to 620' Circulate C 8-5/3" ong to 1960' Cement with 5-1/2" ong to 1960' Cement with 5-1/2" ong to Total Depth, ceme terro Leteraleg 1790' to T.D. I understand that this plan of work must receive approval in writing by the Company SUN OIL COMPANY, P. O. Bax 2890, Dal Mer Mexice Offices	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) ateo Sand count 50 metrics (for testing only) at to surface RECEIVED NOV 1 6 1959 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO a Geological Survey before operations may be commenced.
he elevation of the derrick floor above sea level is DETAILS OF We tate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important Proposed depth approximately 2350 ⁺ to test He Casing Program 13-3/8" ong to 620 ⁺ Circulate C 8-5/3" ong to 1960 ⁺ Cement with 5-1/2" ong to 1960 ⁺ Cement with 5-1/2" ong to Total Depth, ceme Market Hay Surface to T.D. Market Lateralog 1700 ⁺ to T.D. I understand that this plan of work must receive approval in writing by the Company SUN OIL COMPANY, P. C. Bex 2850, Dal	ORK d lengths of proposed casings; indicate mudding jobs, cement- t proposed work) atos Sand

<u>.</u>.



				Ĩ	CE	-	C-128
	NEW	MEXICO OIL CON	NSERVATIO	ON COMMISSI	jet 3	1959 Revise	a 5/1/57
	Well	Location and A	creage l	Dedication	Plat C	CFFIDE	
Section A.				E	ateres	wenter 12.	1979
	has GLI. Company	Lea	se	Rend-Fedg	rel		
Well No.	Unit Letter Feet From	Section Line,		_Township Feet	From	Range	NMPM Line
County	G. L.	Elevation		Dedicated			Acres
1. Is the Op	ucing Formation Derator the only ow	ner* in the dec	dicated a	Pool acreage out	lined o	n the plat	below?
 If the ar consolida "yes," Ty 	No Inswer to question o ated by communitiza /pe of Consolidation Inswer to question t	tion agreement	or othe:	rwise? Yes	5No	• If	answer is
below:					ind thei	1 10 5000 01 4	e interests
	Owner			Land Descr	iption		
							IVED
							7 1959
Section.B							GICAL SULVEY VEW INC
					informa above	s to certif ation in Se is true and best of my lief.	ction A complete
	+				(R	11 Computy Aperator) Presentati En 2000, Pa	-
					This is	Address s to certif	v that the
					well lo plat in from f: surveys my supe same is	bcation sho n Section B ield notes s made by m ervision an s true and	wi on the was plotted of actual of or under of that the
					belief. Date Su Registe	ryeyed <u>Se</u> hurbered Profes	ot 1959 Howsee
0 330 660 990				500 O	Certif	icate No. 3	3050
	(See instruc	tions for compl	.eting th	nis form on	the re	verse side)	

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

.

. .

.

* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)

RECEIVO

DEC 3 1959

P. C. Bex 6721 Roswell, New Mexico ARTESIA, OFFICE

November 30, 1959

Sun Oil Company, P. O. Box 998, Reswell, New Mexico.

Attention: Sim Christy

Gentlemen:

Reference is made to your Notice of Intention to Brill well No. 1 Read-Federal in the NELSON sec. 20, T. 19 S., R. 31 E., N.N.F.K., Eddy County, New Mexico (copy attached), on lease Las Cruces 053642-A. This location is in the potash area designated by order dated October 6, 1951, of the Secretary of the Interior.

Fursuant to authority delegated by the Director of Geological Survey on November 25, 1959, I hereby approve the Notice of Intention to drill the above described well to a depth of approximately 2350 feet to test the Yates sand. Please notify the District Engineer, U. S. Geological Survey, P. C. Box 197, Artesia, New Mexico in sufficient time for a representative to witness all comenting operations.

Very truly yours,

Elim Marganos

EDWIN M. THOMASSON Acting 011 and Gas Supervisor

Enclosure

Copy to: Washington NMBCC, Artesia (w/2 cys of Notice) Artesia (w/cy of Notice) Mining Supervisor, Carlsbad - 小小小

े ५ २३ - १२-२२

et Maria de la compañía

A set of a set of the set of

, 1979 - Maria Maria Maria Maria Maria Indonesia (1979 - 1994) - Maria Maria Maria Maria Maria Maria Maria Mari

and a standard and a stranger of the standard state and state and

. കോടുമായുള്ള ആദ്യം കുട്ട് പാലം കോടിയും നായില് ന പ്രതിപ്പോയുള്ള നോയില് പോലം കോടിയും പാലം പായില് നായില് നായില് നായില് നായില് നായില് നായില് നായില് നായില് നായില് നാ

الم من من 19 - 19 - 19 من الم 19 من الم

and the second second and the second second second second

,्याब ए हो जाव व ल

The state of the second states of the

and the state of the

్రార్ ప్రత్యేశం ఉందు సి.మీ. సి.మీ. సి.మీ. సి.మీ. ぼうがさが こうへかり 注 ねんしかい e se sizzi gran hazare e di se