



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **LC**
Lesse No. **063622**
Unit **RECEIVED**
DEC 7 1959

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Report on change of plans	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Texas Crude Oil Company
Tennessee-Federal

December 4, 19**59**

Well No. **1-21** is located **1980** ft. from **XX** line and **660** ft. from **E** line of sec. **21**

NE 1/4 **SE 1/4** **Sec. 21** **T-19-S** **R-31-E** **NMPM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **Eddy County** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3528** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 11-28-59: Pulled rods & tbg. Set bridging plug @ 2324' w/2 sx. cnt. on top. Perf. csg. 2280-92' w/1 jets/ft.
- 11-29-59: Pumped into formation. Pressure broke 1900-1100#. Treated w/5000 gals. oil and 5,000# sand, 1100#, 28 BPH. Flowed back 27 1/2 mbls/2 hrs. Total load to recover 320 mbls. Ran rods, tbg., put on pump. Testing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Texas Crude Oil Company**
Address **1201 V & J Tower Building**
Midland, Texas

By *Jul R. Howard*
Title **Production Superintendent**