



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office LCLease No. 063622

Unit _____

RECEIVED

JAN 15 1960

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

REVISED

January 13, 1960

Texas Crude Oil Company

Tennessee-Federal

Well No. 1-21 is located 1980 ft. from NN line and 660 ft. from E line of sec. 21NE 1/4 SE 1/4 Sec. 21 T-19-S R-31-E NMPM

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Wildcat

(Field)

Eddy County

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Below is present status of the above well:

5010-4420' mud laden fluid; 4420-4367' cement (Top Delaware Sand); 4367-3378' mud laden fluid; 3378-2595' cemented 7" casing (filled w/mud laden fluid; 2595-2581' Howco basket w/hydromite plug; 2581-2491' mud laden fluid; 2491-0' 7" w/cmt. circulated to surface.

We propose to plug & abandon subject well as follows:

Fill 7" casing w/mud laden fluid; Place cmt. plug 2320-2250'; Fill w/mud laden fluid 2250-2090'; place cmt. plug 2020-2090' (base salt); Fill w/mud laden fluid 2020-785'; place cmt. plug 785-710'; Fill hole w/mud laden fluid 710-50'; place cement plug 50' to surface.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Texas Crude Oil CompanyAddress 1201 V & J Tower BuildingMidland, Texas By _____Title Production Superintendent