



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las CrucesLease No. LC 063022Unit 2

30-015-05794

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED

JUL 30 1962

U. S. GEOLOGICAL SURVEY
ARTESIA; NEW MEXICO

Texas July 27, 19 62
Well No. 1 is located 330 ft. from N line and 330 ft. from E line of sec. 28
1/4 NW/4 Sec 28 19 S 31 E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
North Blackberry Lake (East) Eddy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3400 ft. G. Lat.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Proposed casing program: Cable tools.

8 1/8 inch 24 pound surface casing set at approximately 625 feet and cemented with 150 sacks. Circulated with mud to surface before cementing,

4 1/2 inch 9.3 pound casing (Completion) 1 - 2300 feet estimated total depth 2500 Yates-Seven Rivers Test. Mud to be circulated to surface and 4-1/2" cemented with 150 sacks.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company J. J. TravisAddress Box 573Midland, Texas

By

Title

J. J. Travis
Owner-Operator