		7	~				Chevindi 7/1/88
						ter i en	
+				NEW MEXI	CO OIL CONS	ERVATION COM	MISSION
0		┼╌┽╌┼──			Santa Fe, l	New Mexico	
		╞╍╋╌╋			-		
					WELL I	RECORD	
			Mail as	District Office Of	Construction Con	, 	
		<u> </u>	later the	an twenty days after	completion of well	I. Follow instructions	form C-101 was sent not in Rules and Regulation:
			of the C	commission. Submit i	n QUINTUPLIC.	ATE. If State)	Land submit 6 Copies
LOCA	AREA 640 AG	RES					
		John A.	Yates			Nola Ro	berta
	1	(Company or Op					
						-	County
Well is	1650	feet from	Nort	line and	330	feet from	West lin
of Section	33	If	State Land the C	Dil and Gas Lesse N	. is		
							y 14 , 19 63
							· ·
				-			
Elevation ab	ove sea level	at Top of Tubi	ng Head	3348	The inf	ormation given is to	be kept confidential unti
••••••			, 19				
				OIL SANDS OR		C	
No. 1, from.	••••••		to	No.	4, from		AR 1 3 1993
No. 2, from.			to	No.	5, from	to,	D
No. 3. from.			to	No	6. from	<i>[\ii]</i>	AR 1 3 1900
No. 3. from.			to			feet	
110. 1 , 110m.				•••••••••••••••	•••••••••••••••••••••••••••••••••••••••		
				CASING BEC)RD		
	WEIG			KIND OF	CUT AND		
SIZE	PER F	OOT USI	ID AMOU	UNT SHOE	PULLED FROM	PERFORATIONS	PURPOSE
<u>10 3/4</u>			290				Surface
8 5/8			177	75			
		······································	<u> </u>	······································			- <u></u>
			MUDD	ING AND CEMEN	TING RECORD		
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACES OF CEMENT	METHOI USED		MUD RAVITY	AMOUNT OF MUD USED
10"	8 5/8	1775	25				······································
			+				
	<u> </u>		······································				
		(Record	the Process used	OF PRODUCTION I, No. of Qu. or G)le	als. used, interval	treated or shot.)	
			****				······
••••••••••••••••							
Kesult of Pro	oduction Stir	nulation					
			*******	*********			*******
*		×		••••••••••••••••••••••		Depth Cleaned On	

į

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

					TOOLS	USED		
Ro Ca	tary tools we bie tools were	re used from e used from	2365 0	feet t	3315 2365	feet, and from		feet tofeet.
					PRODU	CTION		
Put	t to Producin	ıg]	Dry Hole		, 19			
oı	L WELL:	The production	during the first	24 hou	irs was	barrels	of li	quid of which% was
		was oil;	%	was ei	mulsion ;	% water; an	d	% was sediment. A.P.I.
		Gravity		••••				2
GA	S WELL:	The production	n during the first	24 hou	irs was	M.C.F. plus		barrels of
		liquid Hydroca	rbon. Shut in Pre	ssurc	lbs.			
τ.								
LC	0							
	PLEASE I	NDICATE BI				FORMANCE WITH GR	COG	RAPHICAL SECTION OF STATE):
			Southeastern N	lew M	lexico			Northwestern New Mexico
Т.	•			Τ.	Devonian	······	Т.	Ojo Alamo
Т.	Salt		•••••••••••••••••••••••••••••••••••••••	Т.	Silurian		Τ.	Kirtland-Fruitland
B.	Salt			Т.	Montoya		Т.	Farmington
Т.			••••••		Simpson	·····	Т.	Pictured Cliffs
Т.					McKee		Т.	Menefee
Т.	Queen	1695		Т.	Ellenburger		Т.	Point Lookout
Т.	Grayburg	2190		Т.	Gr. Wash		Т.	Mancos
т.	San Andres	2825		Т.	Granite		Т.	Dakota
Т.	Glorieta						Т.	Morrison
т.	Drinkard							Penn
т.								
- ·								

From	To	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 155 200 240 345 445 545 780 980 1015 1205 2130 2140 2370 2727 2915 3010	155 200 240 345 445 545 780 980 1015 1205 2130 2140 2370 2727 2915 3010 3315	155 45 40 105 100 235 200 35 190 925 10 230 357 188 95 305 Tot	Sand Red Bed Shale Red Bed & Gyp Anhydrite & Shale Salt Anhydrite Shale & Anhydrite Lime Anhydrite & Shale Lime Sand Lime Dolomite Lime al Depth				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Compa	ny or Operator	John A.	Yates	Addres
		Car		
Name	<i>fluer</i>	e quu	x Col	Position

		March 11 1963								
Address	323	Carper	Bldg.			(Date)	M.			
Posti	a Title.	Boo	okkeep	er						