

Copy J. J.
2.

(SUBMIT IN TRIPLICATE)

Land Office

Lease No. **W-06766**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED

OCT 14 1964

SUNDRY NOTICES AND REPORTS ON **WELLS C.**
ARTESIA, OFFICE

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 7, 19 **64**Patterned Holder "CR" *Fed*Well No. **8** is located **2310** ft. from **{N}** line and **1980** ft. from **{E}** line of sec. **24****SE 1/4, NW 1/4, Sec 24****19-S****30-E****RMPM**

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

North Hackberry Isles**Eddy****New Mexico***Yates* (Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is **3311** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1992' FB, 2064' TD.

Displaced water in hole with gelled crude. Spotted 500 gallons of 15% HCl acid. Perforated 4-1/2" casing at 1901', 1925' & 1941', with 3 way super radial jets. Proceed as follows: Spearhead 4/40 barrels gelled lease oil followed by 83 barrels gelled oil 4-1/4" Adomite M-11 and 2" SFG, 12 barrels gelled oil 4-1/4" Adomite M-11 & 2" SFG. Dropped 3, 1-1/4" ROMB sanders. Repeated above for a total of 3 stages and flushed with 29 barrels oil. Treating pressure 2500# to 2600#. AIR 33 bpm. Ran 2-3/8" tubing with bull plug on bottom, 4' perforated nipple & 3". Tubing set at 1969', 3" at 1956'. Ran rods and pump and placed well on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Gulf Oil Corporation**Address **Box 670, Hobbs, New Mexico**

By **Area Petroleum Engineer**
Title