

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

coment, using 6 secks gel, I seck Calcium Chloride and 8 secks Selt. Cemer not circulate. Temperature showed top of cement 255°. Perforated two hole 240° and re-comented May 23, 1964 with 100 secks of incor cement, using I granulated gel with cotton seed hulls. Top of cement 40° from surface. F behind \$ 5/8° casing to surface with ready mix concrete. REDEIVED I understand that this plan of work must receive approval in writing by the Geological Survey before open LUL & surface Company P. 0. Box 316	SUBSEQUENT REPORT OF WALL	P SHIT-OFF
SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR WILL SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING. SUPPLEMENTARY WELL HISTORY. SUPPLE	OTICE OF INTENTION TO DRILL	TING OR ACIDIZING
Subsequent report of Repail or Repair Well. Source of Intention to Short or Repair Well. Source of Intention to Dead Alter Casing. Source of Intention to Dead Not Intention to Alter Casing. Source of Intention to Dead Not Intention	OTICE OF INTENTION TO CHANGE PENTO	RING CASING.
Cosden (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) JULE (INDICATE DATA) ARTESIA, OFFICE ARTESIA, OFFICE ARTESIA, OFFICE ARTESIA, OFFICE OTHER DATA) JULE (INDICATE DATA) ARTESIA, OFFICE ARTESIA, OFFICE Denor	OTICE OF INTENTION TO TEST WATER SHOT-OTT	RILLING OR REPAIR.
Conden (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF	OTICE OF INTENTION TO RE-DRILL ON NEW WILLIAM	
(INDICATE ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. June 19. June 19. June 19. June 19. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19. June 19. June 19. 26 1843 ft. from E line of sec. NAPPA (Neidlan) New Martice National Martice New Mar	OTICE OF INTENTION TO SHOOT OR ACIDIZE	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 19, 19 64 June 19, 26 Well No. 1 is located 330 ft. from No line and 1840 ft. from E line of sec. Well No. 26 195 30E NOMPM Well NE/4 Sec. 26 195 30E NOMPM North Meckederry Yetes Eddy (Meridian) (State of Depritory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK Internames of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate masking jobs, comenting points, and all other important proposed work) On May 20, 1964, ren 515' of 8 5/8' casing and comented with 135 sacks of coment, using 6 sacks gel, I sack Calcium Chloride and 8 sacks Selt. Cement of circulate. Temperature showed top of casent 255'. Perforated two holds are circulated. Temperature showed top of casent 255'. Perforated two holds are casented with cotton seed hulls. Top of casent 40' from surface. Fee 1 V E Company Lunderstand that this plan of work must receive approval in writing by the Geological Survey before op: JUL 8. 11964 Artesia, Hear Mexico Depart Opener	NOTICE OF INTENTION TO PULL OR ALTER CASH	
Cosden Colons is located 130 ft. from N line and 1840 ft. from E line of sec. 26 Md/4 NE/4 Sec. 26 195 30E MAPP Of Sec. and Sec. No.) (Tup) (Range) (Meridian) Read Marketo (County or Subdivision) (State of American Marketo (State of American Meridian) (State of American Mer	NOTICE OF INTENTION TO ABANDON WELL.	
Cosden cell No	DV CHECK MARK NATURE OF REPORT, NOTICE, OR OTH	ER DATA)
Cosden [ell No.	(INDICATE ABOVE BY CHECK MAINTING	
See		June 19, 19
The comment of and expected depths to objective sands; show wights, and lengths of proposed casings; indicate mashling jobs, comments of and expected depths to objective sands; show wights, and lengths of proposed casings; indicate mashling jobs, comments of and expected depths to objective sands; show also, weights, and lengths of proposed casings; indicate mashling jobs, comments of and expected depths to objective sands; show also, weights, and lengths of proposed casings; indicate mashling jobs, comments of and expected depths to objective sands; show wights, and lengths of proposed casings; indicate mashling jobs, comments of and expected depths to objective sands; show wights, and lengths of proposed casings; indicate mashling jobs, comments of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mashling jobs, comments of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mashling jobs, comments of and expected with 135 sacks of incomments. It is not called the sacks of the casing sacks of incomments of and expected two holds are called the sacks of incomments. Performents of an expected two holds are called the sacks of incomments of an expected two holds. The called the sacks of incomments of an expected two holds are called the sacks of incomments. Performents of an expected two holds are called the sacks of incomments of an expected two holds. The called the sacks of incomments of an expected two holds are called the sacks of incomments of an expected two holds. The called the sacks of incomments of an expected two holds are called the sacks of incomments of an expected two holds are called the sacks of incomments of an expected two holds are called the sacks of incomments of an expected two holds are called the sacks of incomments of an expected two holds are called the sacks of incomments of an expected two holds are called the sacks of incomments of an expected two holds are called the sacks of in	V	
Md/4 NE/4 Sec. 26 195 30E NAPM (b) Sec and Sec. No.) (c) Eddy (c) Horth Mackberry Yetes (c)	Coscen 130 (N) 1840	E } 1: of soc #
Md/4 NE/4 Sec. 26 195 30E NAPM (b) Sec and Sec. No.) (c) Eddy (c) Horth Mackberry Yetes (c)	is located ft. from line and tt.	rom ine or sec
North Mackberry Yetes (Field) (Field) (County of Subdivision) (State of partition) (Field) (County of Subdivision) (State of partition) (State of	AND HOLPH	A Tope Co
North Hackberry Yates (Pield) (County or Subdivision) (County or Subdivision) (State or Perfory) (State or Perfor or Perfor or Performent Perfory (State or Perfory) (State or Perfor or Performent Perform	##/4 NE/4 Sec. 20	
(Field) (County or Subdivision) (State or Petriory) (Real or Pe	(% Sec. and Sec. No.) (Twp.)	How Mariles So
he elevation of the derrick floor above sea level isft. DETAILS OF WORK Interest names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mighting jobs, comentating points, and all other important proposed work) On May 20, 1964, ren 515' of 8 5/8'' casing and comented with 135 sacks of it coment, using 6 sacks gai, I sack Calcium Chloride and 8 sacks Sait. Comer not circulate. Temperature showed top of coment 255'. Perforated two half 240' and re-comented May 23, 1964 with 100 sacks of incor coment, using I granulated gai with cotton seed hulls. Top of coment 40' from surface. F behind \$ 5/8'' casing to surface with ready mix concrete. I understand that this plan of work must receive approval in writing by the Geological Eurvey before op: Understand that this plan of work must receive approval in writing by the Geological Eurvey before op: Understand that this plan of work must receive approval in writing by the Geological Eurvey before op: Understand that this plan of work must receive approval in writing by the Geological Eurvey before op: Understand that this plan of work must receive approval in writing by the Geological Eurvey before op: Actually of the Company	Horth Hackserry (413)	(State or Cerritory)
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mighling jobs, comenting points, and all other important proposed work) On May 20, 1964, ran 515' of 8 5/8' casing and camented with 135 sacks of its cament, using 6 sacks gel, I sack Calcium Chloride and 8 sacks Selt. Camer not circulate. Temperature showed top of cament 255'. Perforated two hold 240' and re-camented May 23, 1964 with 100 sacks of incor cament, using I granulated gel with cotton seed hulls. Top of cament 40' from surface. For behind \$ 5/8' casing to surface with ready mix concrete. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open the company P. 0. Box 316 Artesia, New Maxico By Harvel Maxico Owner	(Field)	The state of the s
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mighling jobs, comenting points, and all other important proposed work) On May 20, 1964, ran 515' of 8 5/8' casing and camented with 135 sacks of its cament, using 6 sacks gel, I sack Calcium Chloride and 8 sacks Selt. Camer not circulate. Temperature showed top of cament 255'. Perforated two hold 240' and re-camented May 23, 1964 with 100 sacks of incor cament, using I granulated gel with cotton seed hulls. Top of cament 40' from surface. For behind \$ 5/8' casing to surface with ready mix concrete. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open the company P. 0. Box 316 Artesia, New Maxico By Harvel Maxico Owner	the state of the s	10,000
On May 20, 1964, ran 515' of 8 5/8'' casing and comented with 135 sacks of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment incoment incoment incoment incoment, using 1 sacks of incoment. Using 1 sacks of incoment, using 1 sacks of incoment incoment. Income incoment, using 1 sacks of incoment incoment, using 1 sacks of incoment incoment. Income incoment, using 1 sacks of incoment incoment, using 1 sacks of incoment. Incoment incoment, using 1 sacks of incoment incoment, using 1 sacks of incoment. Incoment incoment, using 1 sacks of incoment, using 1 sacks of incoment. Incoment incoment, using 1 sacks of incoment. Incoment, using 1 sacks of incoment, using 1 sacks of incoment, using 1 sacks of incoment. Incoment, using 1 sacks of incoment, using 1 sacks of incoment, using 1 sacks of incoment. Incoment, using 1 sacks of incoment. Incoment, using 1 sacks of inco	he elevation of the derrick noor above sea level is	W. July
On May 20, 1964, ran 515' of 8 5/8'' casing and comented with 135 sacks of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment, using 6 sacks gal, I sack Calcium Chloride and 8 sacks Salt. Coment of incoment incoment incoment incoment incoment, using 1 sacks of incoment. Using 1 sacks of incoment, using 1 sacks of incoment incoment. Income incoment, using 1 sacks of incoment incoment, using 1 sacks of incoment incoment. Income incoment, using 1 sacks of incoment incoment, using 1 sacks of incoment. Incoment incoment, using 1 sacks of incoment incoment, using 1 sacks of incoment. Incoment incoment, using 1 sacks of incoment, using 1 sacks of incoment. Incoment incoment, using 1 sacks of incoment. Incoment, using 1 sacks of incoment, using 1 sacks of incoment, using 1 sacks of incoment. Incoment, using 1 sacks of incoment, using 1 sacks of incoment, using 1 sacks of incoment. Incoment, using 1 sacks of incoment. Incoment, using 1 sacks of inco	DETAILS OF WORK	\$\tau\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
On May 20, 1964, ran 515' of 8 5/8" casing and camented with 175 seeks cament, using 6 seeks gel, I seek Calcium Chloride and 8 seeks Salt. Camer not circulate. Temperature showed top of cament 255'. Perforated two hold 240' and re-camented May 23, 1964 with 100 seeks of incor cament, using I granulated gel with cotton seed hulls. Top of cament 40' from surface. F behind 8 5/8" casing to surface with ready mix concrete. RECEIVED Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open Lunderstand that this plan of work mus	and the strumental	casings, indicate muskling jobs, coment-
pranulated gel with cotton seed hulls. Top of cament 40° from surface. behind \$ 5/8° casing to surface with ready mix concrete. RECEIVED Lunderstand that this plan of work must receive approval in writing by the Geological Survey before open the surface. Kersey & Company Company P. 0. Box 316 Artesia, New Maxico By Harred / Conservations	On May 20, 1964, ren 515' of 8 5/8" casing and camer	ited Aitu 133 agens a.
I understand that this plan of work must receive approval in writing by the Geological Survey before open JUL 8 and 1964 Company	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gal, I seck Calcium Chieride a not circulate. Temperature showed top of cament 25!	ind 8 secks Selt. Cemer 5. Perforeted two half Incor cement, using I
I understand that this plan of work must receive approval in writing by the Geological Survey before open JUL 8 and 1964 Company D. C. C. ARTESIA, OFFICE Artesia, New Maxico By Harred / Curse, Owner	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gai, I sack Calcium Chieride a not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 sacks of	ind 8 secks Selt. Cemer 5. Perforeted two half Incor cement, using I
I understand that this plan of work must receive approval in writing by the Geological Survey before open JUL 8 and 1964 Company D. C. C. ARTESIA, OFFICE Artesia, New Maxico By Harred / Curse, Owner	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gal, I seck Calcium Chioride a not circulate. Temperature showed top of cament 255 240' and re-camented May 23, 1964 with 100 secks of granulated gel with cotton seed hulls. Top of came	ind 8 sacks Salt. Came 5'. Perforated two hal Incor cament, using I nt 40' from surface. F
I understand that this plan of work must receive approval in writing by the Geological Survey Belove Space S	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gal, I seck Calcium Chioride a not circulate. Temperature showed top of cament 255 240' and re-camented May 23, 1964 with 100 secks of granulated gel with cotton seed hulls. Top of came	ind 8 sacks Salt. Came 5'. Perforated two hal Incor cament, using I nt 40' from surface. F
I understand that this plan of work must receive approval in writing by the Geological Survey Belove Space S	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gal, I seck Calcium Chioride a not circulate. Temperature showed top of cament 255 240' and re-camented May 23, 1964 with 100 secks of granulated gel with cotton seed hulls. Top of came	ind 8 sacks Salt. Came 5'. Perforated two hal Incor cament, using I nt 40' from surface. F
Company Company Company P. 0. Sox 316 Artesia, Maxico By Harred / Curse, Curser	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gal, I seck Calcium Chioride a not circulate. Temperature showed top of cament 255 240' and re-camented May 23, 1964 with 100 secks of granulated gel with cotton seed hulls. Top of came	ind 8 sacks Selt. Comes 5'. Perforated two hall Incor coment, using I nt 40' from surface. Frete. REBEIVE
Artesia, Office P. O. Box 316 Artesia, Office By Harred / Curse, Owner	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gai, I sack Calcium Chioride a not circulate. Temperature showed top of cament 25% 240' and re-camented May 23, 1964 with 100 sacks of granulated gel with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conc	ind 8 sacks Salt. Comes 5'. Perforated two half Incor coment, using I nt 40' from surface. Frote. RECEIVE
Artesia, Men Manico By Harred / Cursey Owner	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gel, I seck Calcium Chieride a not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 secks of granulated gel with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conciliunderstand that this plan of work must receive approval in writing by the Geological Survey in	ind 8 sacks Salt. Comes 5'. Perforated two half Incor coment, using I nt 40' from surface. Frote. RECEIVE
Artesie, New Mexico By Harred / Curse, Owner	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 sacks gai, I sack Calcium Chieride a not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 sacks of granulated gai with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conc I understand that this plan of work must receive approval in writing by the Geological Survey b Kersey 6 Company	ind 8 sacks Selt. Cemerals. S'. Perforated two holdings cement, using I not 40' from surface. From the RECEIVE Cemerals of the RECEIVE Cemerals of the Receive Company of the Receive Cemerals of the
Artesie, New Maxico By Harred / Curse, Owner	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 sacks gai, I sack Calcium Chieride of not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 sacks of granulated gai with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conc I understand that this plan of work must receive approval in writing by the Geological Survey & Company Company	ind 8 sacks Selt. Come 5'. Perforated two hell Incor coment, using I nt 40' from surface. From RECEIVE 6000-000-000-000-000-000-000-000-000-0
Artesia, New Maxico By Davie Owner Title	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gel, I seck Calcium Chieride a not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 secks of granulated gel with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conc I understand that this plan of work must receive approval in writing by the Geological Survey b Kersey 6 Company Company R 0. Box 316	ind 8 sacks Selt. Come 5'. Perforated two hell Incor coment, using I nt 40' from surface. From RECEIVE 6000-000-000-000-000-000-000-000-000-0
88210 Title Queer	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 sacks gal, I sack Calcium Chieride of not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 sacks of granulated gal with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conc I understand that this plan of work must receive approval in writing by the Geological Survey & Company P. 0. Sext 316	ind 8 sacks Selt. Come ind 8 sacks Selt. Come in Perforated two hole incor cament, using I nt 40' from surface. F rete. REDEIVED afore open JUL 8 and 1864 D. C. G. ARTESIA, OFFICE
88210 Title	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gel, I sack Calcium Chieride of not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 sacks of granulated gel with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conc I understand that this plan of work must receive approval in writing by the Geological Survey & Company P. 0. Box 316	ind 8 sacks Selt. Come ind 8 sacks Selt. Come in Perforated two hole incor cament, using I nt 40' from surface. F rete. REDEIVED afore open JUL 8 and 1864 D. C. G. ARTESIA, OFFICE
	On May 20, 1964, ran 515' of 8 5/8" casing and camer cament, using 6 secks gel, I sack Calcium Chieride of not circulate. Temperature showed top of cament 25! 240' and re-camented May 23, 1964 with 100 sacks of granulated gel with cotton seed hulls. Top of came behind 8 5/8" casing to surface with ready mix conc I understand that this plan of work must receive approval in writing by the Geological Survey & Company P. 0. Box 316	ind 8 sacks Selt. Come ind 8 sacks Selt. Come in Perforated two hole incor cament, using I nt 40' from surface. F rete. REDEIVED afore open JUL 8 and 1864 D. C. G. ARTESIA, OFFICE