

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.5. LEASE DESIGNATION AND SERIAL NO.
LC 029392 B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

V.S. Welch Hinkle F

9. WELL NO.

25

10. FIELD AND POOL, OR WILDCAT
Shugart11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec 27, T-18-S, R-31-E

1. OIL WELL ☐ GAS WELL ☒ OTHER P & A Well2. NAME OF OPERATOR
Southland Royalty Company V S Welch3. ADDRESS OF OPERATOR
1100 Wall Towers West4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1650' FNL & 2310' FEL, Sec. 27, T-18-S, R-31-E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3637' GR

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐Re-enter & Re-plug ☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)


17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Re-enter w/11" bit & drl to 60'. Ran 47' 8 5/8" 24# csg & cmt w/100 sxs Cl "C" w/4% CaCl. Cmt circ. GIH w/6 1/4" bit & drl cmt to 123' Drlg samples indicated new hole deviating from old hole where 8 5/8" csg was pulled & plugged. POH & GIH w/7 7/8" bit to ream out hole and attempt to penetrate plug above 8 5/8". Drl thru 140' cmt @ 501'-641' then samples indicated Red Bed and Shale. Continue drlg from 693'-760' showing anhydrite. Did not find csg. Spotted cmt plug from TD to 300'. Pulled up & spotted 50' cmt plug from csg shoe to surface.

This procedure was approved by USGS in verbal agreement between USGS office in Artesia and SRC representative, Mr. Don Craig when it became apparent that original plans could not be carried out.

18. I hereby certify that the foregoing is true and correct

SIGNED



TITLE District Operations Engineer DATE 11-13-80

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: