

## RECEIVED

SEP 26 1967

## WELL RECORD

**O. C. C.**

**ARTESIA, OFFICE**

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

**AREA 640 ACRES  
LOCATE WELL CORRECTLY**

T.J. Sizley

(Company or Operator)

Allied State

(Leave)

Well No. 1, in NW ¼ of NW ¼, of Sec. 16, T. 19S, R. 31E, NMPM.

Undes. North Hackberry Yates Pool, Eddy County.

Well is 990 feet from North line and 990 feet from West line  
of Section 16. If State Land the Oil and Gas Lease No. is K-43-91

Drilling Commenced.....August 26....., 1967. Drilling was Completed.....September 15....., 1967

Name of Drilling Contractor.....Donnelly Drilling Company, Inc.,.....

Address.....Artesia, New Mexico

Elevation above sea level at Top of Tubing Head..... **3485 DF**..... The information given is to be kept confidential until  
..... 19.....

### OIL SANDS OR ZONES

No. 1, from.....None.....to..... No. 4, from.....to.....

No. 2, from.....to..... No. 3, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

## REPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 621 to 626 feet. Approx 300 feet

No. 2, from 2479 to 2484 feet. Approx 2000 feet

No. 3, from.....to.....feet.

No. 4, from.....to.....feet.....

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24	used	685	Tex. Pat	None	None	Surface

## TRAINING AND CERTIFICATION RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10-3/4	8-5/8	685	100	Denton OWC Co		circulated

## RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

**Result of Production Stimulation.....**

...Depth Cleaned Out.....

CORD OF DRILL-STEM AND SPECIAL TE

If drill-stem or other special t,sts or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.  
Cable tools were used from.....feet to.....feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing. Plugged.....9/15, 1967.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was  
was oil; .....% was emulsion; .....% water; and.....% was sediment. A.P.I.  
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of  
liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy..... <u>465</u>	T. Devonian.....	T. Ojo Alamo.....
T. Salt..... <u>730</u>	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt..... <u>1989</u>	T. Montoya.....	T. Farmington.....
T. Yates..... <u>2200</u>	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	T. Granite.....	T. Dakota.....
T. Glorieta.....	T. ....	T. Morrison.....
T. Drinkard.....	T. ....	T. Penn.....
T. Tubbs.....	T. ....	T. ....
T. Abo.....	T. ....	T. ....
T. Penn.....	T. ....	T. ....
T. Miss.....	T. ....	T. ....

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	45	45	Caliche				
45	120	75	Red Rock				
120	200	80	Shale				
200	458	258	Red Rock				
458	621	163	Anhydrite				
621	640	19	Anhydrite and Sand				
640	730	90	Anhydrite and Shale				
730	850	120	Salt				
850	880	30	Anhydrite and Salt				
880	1740	860	Salt				
1740	1775	35	Anhydrite				
1775	1977	202	Salt				
1977	2125	148	Anhydrite				
2125	2265	140	Anhy. and Lime				
2265	2285	20	Broken Anhy. and Sand				
2285	2322	37	Anhydrite				
2322	2337	15	Sand - Slight Show O&G				
2337	2366	29	Anhydrite and Lime				
2366	2376	10	Sand - Slight Show O&G				
2376	2430	54	Lime and Sand				
2430	2435	5	Sand				
2435	2484	49	Dolomite				
			Plugged to Abandon 9/16/67				

OIL CONSERVATION COMMISSION	
ARTESIA DISTRICT OFFICE	
No.	6
DATE	
TIME	
BY	
FOR	
REMARKS	1
	1
	2
	1 -
	1

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

.....September 25, 1967.....(Date)  
Company or Operator.....T.J. Sivley.....Address.....P.O. Drawer 60, Artesia, N.M......  
Name.....T.J. Sivley.....Position or Title.....Operator.....