

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

E*
re-

Copy to SIC
Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Shenandoah Oil Corporation	8. FARM OR LEASE NAME Gulf
3. ADDRESS OF OPERATOR 1500 Commerce Building - Fort Worth, Texas - 76102	9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface Unit Letter "A" 990' FNL and 330' FEL Seciton 28 - T18S - R 31E	10. FIELD AND POOL, OR WILDCAT Shugart
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 28 - T18S - R31E
14. PERMIT NO.	12. COUNTY OR PARISH Eddy
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3,633' Gr.	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other)	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other)	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T. D. 3,927' Shoe @ 3,915' Perfs: 3,913 - 3,915' 8-5/8" @ 827'

1. Pull rods and tubing
2. Perforate for cement approximately 1,015'
3. Run tubing with RTTS and R.B.P.
4. Cement with approximately 300 sacks cement
5. Drill out cement
6. Put well back on production

RECEIVED

MAY 11 1977

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED C. W. Downey, Jr.

TITLE Operations Superintendent

DATE May 9, 1977

(This space for Federal or State office use)

APPROVED BY Lee J. Lara

TITLE ACTING DISTRICT ENGINEER

DATE MAY 12 1977

CONDITIONS OF APPROVAL, IF ANY: