

Date 8 September 70 Analysis by H. M. Shaffer

Company ICT Inc, P. O. Drawer 1341, Wewoka, Oklahoma

Sample Roger C. Hanks #1 8-24-70

	mg/l	meq/l	eq wt
Cations :			
Sodium, Na	<u> </u>	<u> </u>	<u>22.9</u>
Calcium, Ca	<u> </u>	<u> </u>	<u>20.0</u>
Magnesium, Mg	<u> </u>	<u> </u>	<u>12.2</u>
	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>
Anions :			
Chloride, Cl	<u>1541.7</u>	<u>43.4</u>	<u>35.5</u>
Sulfate, SO ₄	<u>2382.6</u>	<u>49.6</u>	<u>48.0</u>
Carbonate, CO ₃	<u> </u>	<u> </u>	<u>60.0</u>
Bicarbonate, HCO ₃	<u> </u>	<u> </u>	<u>61.0</u>
	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>

Total dissolved
solids 6600
Iron (total)
Sulfide (H₂S) -
pH 7.02
Total hardness
Specific gravity

Probable composition :

Calcium Bicarbonate	<u> </u>	<u> </u>	<u>81.04</u>
Calcium Sulfate	<u> </u>	<u> </u>	<u>68.07</u>
Sodium Sulfate	<u> </u>	<u> </u>	<u>60.19</u>
Magnesium Sulfate	<u> </u>	<u> </u>	<u>71.03</u>
Calcium Chloride	<u> </u>	<u> </u>	<u>55.50</u>
Magnesium Chloride	<u> </u>	<u> </u>	<u>47.62</u>
Sodium Chloride	<u> </u>	<u> </u>	<u>58.46</u>

--	--	--

Ca Mg Na

--	--	--

HCO₃ SO₄ Cl

Remarks :

There are no sulfate reducing bacteria