

31. PERFORATION RECORD (Interval, size and number)  
 9855-9876 w 21 shots - 0.42" diam.  
~~Chapman~~ Eliseo

32. ACID, SHOT, FRACTURE	
DEPTH INTERVAL (MD)	AMO
9855-9876	1000

T SQUEEZE, ETC.  
 KIND OF MATERIAL USED  
 % HCl acid  
 24%

33.\* PRODUCTION  
 DATE FIRST PRODUCTION: 3-17-73  
 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump): Flowing

STATUS (Producing or Shut-in): Producing  
 GAS-OIL RATIO: 0.2000  
 OIL GRAVITY-API (CORR.): 50

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.
3-19-73	24	1/2"	→	5	460	0
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	
180	Pkr	→	5	460	0	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)  
Vented

TEST WITNESSED BY  
John Gould

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED: [Signature] TITLE: Engineer DATE: June 25, 1973

\*(See Instructions and Spaces for Additional Data on Reverse Side)