

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn <u>8324</u>	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka <u>8702</u>	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss <u>9345</u>	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres <u>603</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta <u>2033</u>	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinbry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo <u>4526</u>	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp <u>5434</u>	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) <u>6424</u>	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	218	218	Rock & Anhy	5178	5456	278	Lime, shale and dolo.
218	225	7	Line & rock	5456	5516	60	Dolomite
225	341	116	Lime	5516	5822	306	Dolomite and lime
341	460	119	Lime and Gyp	5822	6570	748	Lime
460	528	68	Lime and Anhy	6570	6640	70	Lime and Dolo.
528	663	135	Anhy	6640	6686	46	Shale and sand
663	992	329	Anhy and gyp	6686	6740	54	Sand, shale and lime
992	1196	204	Lime	6740	6947	207	Lime and dolo.
1196	2132	936	lime and dolo	6947	7187	240	Lime, shale and dolo.
2132	3546	1414	Lime	7187	7319	132	Dolo. and shale
3546	3696	150	Lime and sand	7319	8995	1676	Lime and shale
3696	3814	118	Lime	8995	9148	153	Lime
3814	3846	32	Lime and shale	9148	9400	252	Lime and shale - TD
3846	4214	368	Lime				
4214	4273	59	Lime and dolo.				
4273	4299	26	Lime				
4299	5044	745	Lime and dolo.				
5044	5178	134	Lime and shale				