

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLIC.
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0488813

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐

JAN 10 1974

2. NAME OF OPERATOR

DAVID FASKEN

3. ADDRESS OF OPERATOR

O. C. C.

608 First National Bank Bldg., Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

1650' FSL & 1650' FEL, Sec. 31, T-20-S, R-25-E, NMPM

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Cameron "31" Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Indian Basin Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 31, T-20-S, R-25-E,
NMPM

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3708' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 0-7-73 - Tested oil string casing & head to 4000# - held OK.
- 0-10 - Ran 2-7/8", N-80, EUE, 8rd tubing to 9406' K.B. and set top with Otis perma-lach packer, 4 1/2" x 2" @ 9399' K.B. Perforated (Schlumberger) 1 jet/ft. from 9601' to 9626'.
- 0-11 - Perforated (Schlumberger) 1 jet/ft. from 9560' to 9601'. Flowed well to clean up.
- 0-12/14- Flowed well to clean up.
- 0-15/17- Shut in.
- 0-18 - Acidized (Western Co.) with 6000 gals. 7 1/2% M-S acid plus 3810 gals. carbon dioxide. Flowed well to clean up.
- 0-19/23- Flowed well to clean up.
- 0-24/31- Shut in.
- 1-1/4 - Shut in, flowed well to pit occasionally to clean up.
- 1-5 - Ran 4-point open flow potential - C.A.O.F.P. 17,000 MCF/day.

RECEIVED

1973

GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

P. Michael Claiborne

TITLE

Agent

DATE

12-18-73

(This space for Federal or State office use)

TITLE

DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

JAN - 9 1974

H. L. BEEKMAN

ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side