Form 9-331 (May 1963)	DEPARTM	N. IN: つ STATES EN JF THE INTE EOLOGICAL SURVEY	ERIOR (Other instructions verse side)	C* Form appr Budget Bu 5. LEASE DESIGNATION NM 7039 6. IF INDIAN, ALLOT	reau No. 42-R1424. IN AND SERIAL NO.	
(Do not use this	form for proposa Use "APPLICAT	LES AND REPORTS	lug back to a different reservoir.			
I. GAS WELL WELL 2. NAME OF OPERATOR	X OTHER J	unked Hole	OCT 1 1 1974	7. UNIT AGREEMENT Northwest I Unit 471 8. FARM OR LEASE 2	ndian Basin	
Charles A. Dean / 3. ADDRESS OF OPERATOR 825 Midland Tower, Midland, Texas 79701 O.C.C. 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements of the state of th				Wildca 11. SEC., T., R., M., C SURVEY OR AR	1 10. FIELD AND POOL, OR WILDCAT Wildcat 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA	
14. PERMIT NO.		15. ELEVATIONS (Show wheth 4229 GR	er DF, RT, GR, etc.)	Sec. 28, 1 12. COUNTY OR PAR Eddy	2-20-S, R-23E	
16.	Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:					
TEST WATER SHUT-C FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)		ULL OR ALTER CASING ULTIPLE COMPLETE BANDON* HANGE PLANS	Completion or Rec	REPAIRIN ALTERING ABANDON sults of multiple completi completion Report and Log	CASING MENT• X on on Well form.)	
17. DESCRIBE PROPOSED 0 proposed work. I nent to this work.)	i well is directio	ATIONS (Clearly state all per- nally drilled, give subsurface	tinent details, and give pertinent d locations and measured and true vo	ates, including estimated ertical depths for all mar	date of starting any kers and zones perti-	

Verbal permission to plug was granted on 8/16/73 by U.S.G.S. and the well was plugged in the following manner. Nine-50 sx cal seal plugs were placed down 4-1/2" drill pipe before pressure achieved--held 400 psi-- could not achieve circulation. The annulus was finally filled by the 1" tubing method thru nine stages of 25 sx cement plugs. Cement maintained at surface level. This well is to be replaced by the #1-Y located 50 feet to the north and after finishing the #1-Y well, an appropriate dry hole marker will be installed on the #1 location. This is necessary because the rig will be over the old #1 hole while drilling the #1-Y well.

	RECEIVED AUG22 1973 U. S. GEOLOGICAL SURVET ARTESIA, NEW MEXICO
18. I hereby certify that the foregoing is true and correct SIGNED J. T. BEHTY Agent	DATE 8/21/73
(This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY: ADDROVED BY *See Instructions on Reverse Side	DATE
A DCT 1 G 1374 ACTING DISTRICT ENGINEER ACTING DISTRICT ENGINEER	