

2-20-74
Compensated Acoustic Vel Log
0-11,247

OCRID 148967

PROP 20283

POOL 87600


Oxford
STOCK No. 773 $\frac{1}{3}$
MADE IN U. S. A.

WTS 9051-9377 OK.
7-1-75

Stm B 10087-114 OK.
7-1-71

3rd ESSD. 8458
WC 8883

Penn 9747
Stn 10035

At. 10370

Morls 10828

Morcl 10942

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

OCT 22 1979

2. NAME OF OPERATOR
PENROC OIL CORPORATION

O. C. C.
ARTESIA, OFFICE

3. ADDRESS OF OPERATOR
P. O. Drawer 831, Midland, Tx. 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 660' FSL, 1980' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) Re-completion

☐
☐
☐
☐
☐
☐
☐
☐
☐

RECEIVED

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OCT 18 1979

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/8/79: Squeeze cemented Wolfcamp perms 9051-9377' w/50 sxs Class H w/.6 of 1% Halad 9 and 100 sxs Class H w/.4 of 1% CFR-2. Max. press. 2300#. WOC 24 hrs. Pressured to 1500# for 30 mins. Held OK after drilling retainer and 377' cement.

10/12/79: Squeeze cemented Strawn perms 10,087- 11,114' w/35 sxs Class H w/.4 of 1% CFR-2. Max. press. 3250#. WOC 24 hrs. Drilled retainer and 77' cement. Pressured to 1500# for 30 mins. held OK.

Subsurface Safety Valve: Manu. and Type

Set @

Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE President

DATE October 16, 1979

(Orig. Sgd.) GEORGE H. STEWART

(This space for Federal or State office use)
ACTING DISTRICT ENGINEER

OCT 18 1979

APPROVED BY

DATE

CONDITIONS OF APPROVAL, IF ANY: