

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN 1. DICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0492367

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Gulf Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 5, T19S 27E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Coquina Oil Corporation

3. ADDRESS OF OPERATOR

P.O. Drawer 2960, Midland, TX 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.)  
At surface

Unit letter A. 660' FNL &amp; 660' FEL, Sec. 5

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR 3329

16.

## Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON\*

CHANGE PLANS

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

H is proposed to plug & abandon the subject well. The Morrow perforations 9618-30 were squeezed cemented w/100 sx class H cement w 0.6% CFRZ to a pressure of 4000 psi under a cement retainer set at 9530 ft.

The Wolfcamp formation was perforated from 7710' to 7716' and acidized w/1000 gal acid. This completion attempt proved to be non-commercial and it is proposed to plug and abandon as follows.

Plug No.	Sx	From	To
1	25	7780	7630
Cut off and retrieve 5½" csg at + 5800'			
2	65	75' in stub	of 5½ - 75' above top of 5½
3	50	4200	4100
4	50	2350	2250
5	10	20	Surface

RECEIVED

AUG 25 1977

U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Drilling Manager

DATE 8/24/77

(This space for Federal or State office use)

APPROVED BY

TITLE ACTING DISTRICT ENGINEER

DATE AUG 25 1977

CONDITIONS OF APPROVAL, IF ANY:

Subject to rigging well, but 4. accident road not used.

\*See Instructions on Reverse Side