

RECEIVED
FEB 2 11 03 AM '94UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N. IL CONS COMMISSION

Drawer DD
Artesia, NMFORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-669

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Allirish #1

9. API Well No.

30-015-21321

10. Field and Pool, or Exploratory Area

Cemetery Wolfcamp

11. County or Parish, State

Eddy County NM

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Read & Stevens, Inc.

3. Address and Telephone No.

P. O. Box 1518 Roswell, NM 88202 505/622-3770

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL & 990' FEL
Section 30 T20S-R25E

FEB 21 1994

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒
- Notice of Intent
-
- ☐
- Subsequent Report
-
- ☐
- Final Abandonment Notice

TYPE OF ACTION

- ☒
- Abandonment
-
- ☐
- Recompletion
-
- ☐
- Plugging Back
-
- ☐
- Casing Repair
-
- ☐
- Altering Casing
-
- ☐
- Other

- ☐
- Change of Plans
-
- ☐
- New Construction
-
- ☐
- Non-Routine Fracturing
-
- ☐
- Water Shut-Off
-
- ☐
- Conversion to Injection
-
- ☐
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Read & Stevens, Inc. proposes to plug and abandon the subject well by placing a CIBP at 6,940' over the Canyon formation and cap with 50' of cmt. The 5 1/2" csg will then be cut and pulled from 4,000' and a 140' cmt plug set inside and outside the 5 1/2" csg stub. A 130' cmt plug will then be set inside and outside the 8 5/8" csg shoe @ 3,184'. A 100' plug will then be set at the top of the San Andres @ 730'. A 100' plug will be set across the 13 3/8" shoe @ 252'. A 50' surface plug will then be set, a dry hole marker installed, and the surface location reclaimed. All fluid used to circulate will be mud laden and plugs will be set via tbq, with the exception of CIBP set on wireline.

14. I hereby certify that the foregoing is true and correct

Signed

John D. Maxey

Title Petroleum Engineer

Date 1-31-94

(This space for Federal or State office use)

Approved by

(ORIG. SGD.) JOE G. LARA

Title

PETROLEUM ENGINEER

Date

2/17/94

Conditions of approval, if any:

tag plug across shoe of 8 5/8" csg.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side