

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYN. M. O. C. C. COPY  
SUBMIT IN TRIP  
(Other instructions  
verse side)TE\*  
n re-Copy to SF  
Form approved.  
Budget Bureau No. 42-R1424.  
5. LEASE DESIGNATION AND SERIAL NO.

NM 0557142

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Ross Federal EG Com

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 20-19S-25E

Unit K NMPM

12. COUNTY OR PARISH

Eddy

NM

1. OIL WELL ☐ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th Street - Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface

1980' FSL &amp; 1980' FWL of Sec. 20-19S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3549' GR

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) Set 4 1/2" production casing ☒REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

TD 9450' - Ran 284 joints of 4 1/2" casing as follows: 18 jts 11.6# N-80 LT&C (580'), 64 joints 11.6# K-55 LT&C (2196'), 143 joints 10.5# K-55 LT&C (4486'), 59 joints 11.6# K-55 LT&C (2166') (Total 9428'), 1-Howco Guide Shoe set at 9441' KB, Float Collar w/Auto fill at 9405' KB. Centralizers at 9374, 9196, 9086, 8861, 8584, 8375, 8039 & 7432. Cemented w/500 gallons mud flush, 255 sacks Hali-Lite w/5# salt/sx & 235 sacks Class H w/0.5% CFR-2, 5# salt, displaced w/40 bbls 2% KCL & 108 bbls fresh water. PD 4:00 AM 6-9-75. Pressure tested to 1500#. OK. Set slips, cut off casing.

RECEIVED

JUN 18 1975

U. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Eddie M. Hulsbeck

TITLE

Engineer

DATE

6-18-75

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

\*See Instructions on Reverse Side