

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

7051

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

R S Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 25, T20S, R24E

12. COUNTY OR PARISH

Eddy

13. STATE

N.M.

1. OIL ☐ GAS ☒ OTHER ☐
WELL WELL

2. NAME OF OPERATOR

Coquina Oil Corporation

3. ADDRESS OF OPERATOR

P. O. Drawer 2960, Midland, TX. 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface 1980' FWL & 660' FNL, Section 25

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

G.L. 3606

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) Spud and Progress ☒REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spudded @ 9:00 A.M., 6-14-75. Drilled 17 1/2" hole to 307' and ran 8 jts. 13 3/8" 48# H40 8rd STC casing. Set at depth of 307' and cemented with 400 sxs. Lite Wate, followed by 150 sacks Cl. C with 2% CaCl₂ and 1/4# flocele in all cement. Displaced plug with 47 BFW @ 11:15 P.M., 6-14-75. Cement did not circulate. WOC 6 hrs. TOC via temperature survey 240'. Ran 1" to 200'. Pumped 35 sacks Cl. C with 4% CaCl₂ @ 11:45 A.M. Pumped 35 sacks @ 5:30 P.M. Dumped 25 sacks cotton seed hulls and 4 yards Redi-Mix down back side and brought to surface. WOC 18 hrs. This A.M. drilling a 12 1/4" hole @ 1651' with no problems.

RECEIVED

JUN 20 1975

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Engineer

DATE 6-19-75

(This space for Federal or State office use)

DISTRICT ENGINEER

JUN 20 1975

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: