

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN THE
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.5. LEASE DESIGNATION AND SERIAL NO.
NM-0473362

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

U S A

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Winchester

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 35, T19S, R28E

12. COUNTY OR PARISH

Eddy

13. STATE

N. M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ Dry RECEIVED

2. NAME OF OPERATOR

Penroc Oil Corporation ✓

JAN 9 1976

3. ADDRESS OF OPERATOR

P. O. Drawer 831, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

N. M. O. C. C.
ARTESIA, OFFICE

1980' FNL & 1980' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3302.2' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well plugged and abandoned 11/4/75 as follows:

150' plug @ 9175-9025'

150' plug @ 7450-7300'

100' plug @ 4400-4300'

100' plug @ 2550-2450'

20' plug @ surface

Dry hole marker has been installed and location ready for inspection.

RECEIVED
JAN - 7 1976
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE President

DATE 12/6/75

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

JAN 8 - 1976

L. L. BEEKMANN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

DRY & ABANDONED

CONTR W.E.K. OPR'S ELEV 3302' GL PO 9600' RT

F.R. 9-1-75
(Wolfcamp)
(Orig. Aban Loc 3-31-75 as Dorchester Explor.,
Inc., #3 DWU Federal)
10-7-75 TD 2500'; Prep Drill
10-15-75 Drlg 5543' 1m
10-21-75 Drlg 7161' 1m
10-29-75 Drlg 9503' 1m
DST (Wolfcamp) 9115-9320', open 1 hr 30 mins, GTS
in 32 mins @ 48 MCF/GPD, decr to 30 MCF/GPD @ end of
test, rec 260' DF, 1 hr ISIP 1550#, FP 172-186#,
2 hr FSIP 2047#, HP 4615-4615#
11-5-75 TD 10,485'; D&A
DST (Lower Wolfcamp) 9290-9540', open 1 hr 30 mins,
rec 90' DF, 1 hr ISIP 421#, FP 140-140#, 2 hr FSIP
665#, HP 4649#

11-4-5 NM

EDDY
PENROC OIL CORP.

Winchester
1 USA
Sec 35, T19S, R28E

NM
Page #2

11-17-75 TD 10,485'; Dry & Abandoned
LOG TOPS: Delaware Sand 3083', Bone Spring
4353', First Bone Spring Sand 6548', Second
Bone Spring Sand 7389', Third Bone Spring
Sand 8534', Wolfcamp 8934', Wolfcamp Lime
9093', Canyon Lime 9930', Strawn Lime 10,174'
11-22-75 COMPLETION ISSUED

11-4-5 NM
30 015 70027 75