

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION
DEC 24 1975

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

O. C. C.
ARTESIA, OFFICE

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. E-5073
7. Unit Agreement Name NA
8. Farm or Lease Name Exxon-State
9. Well No. 2
10. Field and Pool, or Wildcat Wildcat
12. County Eddy

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator R. C. Bennett & J. C. Ryan
3. Address of Operator P. O. Box 264, Midland, Texas 79701
4. Location of Well UNIT LETTER <u>F</u> , <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>West</u> LINE, SECTION <u>25</u> TOWNSHIP <u>19S</u> RANGE <u>28E</u> NMPM.
15. Elevation (Show whether DE, RT, GR, etc.) 3345 GL

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

12/18/75: Set 13 3/8" H-40, 48# casing at 350'. Cemented with 375 sacks, Class C, 7 Calcium Chloride. Tagged top of cement at 70' with 1 inch. Cemented with additional 70 sacks, circulated cement. WOC to set, 18 hours. Pressure tested to 600 # for 30 minutes, no measurable drop in pressure.

12/22/75 Set 8 5/8" K-55 grade 24# casing at 2500'. Cemented with 700 sacks Halliburton lite with 5# gilsonite and 1/4 flocele per sack, and 300 sacks Class C, 2 % calcium chloride. Circulated cement. WOC, 18 hours. Pressure tested to 1500 # for 30 minutes. No measurable drop in pressure.

Spud date: 12/17/75.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature]

TITLE Partner

DATE December 23, 1975

APPROVED BY

[Signature]

TITLE SUPERVISOR, DISTRICT II

DATE DEC 29 1975

CONDITIONS OF APPROVAL, IF ANY: