Form 9-331 (May 1963)		D STATES				AND RERIAL D
(DEPARTMENT	OF THE INTER	VION verse side)		EASE DESIGNATION	<u>ل</u> و ، .
		GICAL SURVEY		6. 1	LC 02939 F INDIAN, ALLOTTER	
SUN	DRY NOTICES A	AND REPORTS	ON WELLS		2011 - 12 T	
(Do not use this	form for proposals to dri Use "APPLICATION FO	ill or to deepen or plug R PERMIT—" for such	g back to a different reservoir.	•		
1.		, <u></u>	RELEIV	ED 7.0	UNIT AGREEMENT NA	MB
OIL GAS WELL	OTHER					
2. NAME OF OPERATOR			JAN 3 0 1971	6 8. 1	Federal 26	
	Exploration Cor	poration /			Federal ZC	
3. ADDRESS OF OPERATOR		Denven Col	ando - E.		1	
450 Petroleur	n Club Building	d in accordance with a	ny State requirements.	10.	FIELD AND POOL, O	R WILDCAT
4. LOCATION OF WELL (I See also space 17 belo At surface	pw.)				Shugart	
At Buildes				11.	SEC., T., R., M., OR I SUBVEY OR AREA	BLE. AND
330' FSL	and 1980' FEL			G		RAIR
					COUNTY OF PARISE	
14. PERMIT NO.	15. EL	EVATIONS (Show whether	· DF, RT, GR, etc.)	12.	Eddy	N.M.
		3663' DF		I		
16.	Check Appropria	ite Box To Indicate	Nature of Notice, Repo	rt, or Othei	Data	
	NOTICE OF INTENTION TO :			BUBSEQUENT		
		ALTER CASING	WATER SHUT-OFF	X	BEPAIRING	WELL
TEST WATER SHUT-O Fracture treat		COMPLETE	FRACTURE TREATMER	NT	ALTERING C	
SHOOT OR ACIDIZE	ABANDON*	•	SHOOTING OR ACIDIZ	ING	ABANDONME	NT*
REPAIR WELL	CHANGE F	PLANS	(Other)	t results of n	ultiple completion	on Well
(Other)			i Completion or	Recompletion	Report and Log 10	гш.,
Spudded 5 p.m. o S.T.&C. csg.&set	on 1-10-76. Tot at 790'. Ceme	tal Depth 7981 ented w/400 sz	nent details, and give pertine costions and measured and tru s. Ran 13 jts ' cs. of Class "C" co ent left in pipe.	7781 - o ement pl Plug do	f 8-5/8" 23 us 2% Calci wn at 8:45	# H-40 um a.m. on
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer	tal Depth 7981 ented w/400 sz	. Ran 13 jts '	7781 - o ement pl Plug do	f 8-5/8" 23 us 2% Calci wn at 8:45	# H-40 um a.m. on
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.	tal Depth 798 ented w/400 so . 30' of ceme nt after 18 hi	Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for ;	778' - o ement pl Plug do 30 minut	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held	# H-40 um a.m. on O.K.
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.	tal Depth 7981 ented w/400 sp . 301 of ceme nt after 18 hi	Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : hat h=1/2" 10.5# J=	778' - o ement pl Plug do 30 minut 55 S.T.&	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and	# H-40 um a.m. on O.K. set at
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100	on 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.	tal Depth 7981 ented w/400 sz . 30' of ceme nt after 18 hi s 4090' - o	Ran 13 jts ' cs. of Class "C" co ant left in pipe. rs. with 800# for ' of $4-1/2$ " 10.5# J- D Pozmer "A" 2% G	778' - o ement pl Plug do 30 minut 55 S.T.& el. 8# s	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and alt per sac	# H-40 um a.m. on O.K. set at k, 0.5%
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7	# H-40 um a.m. on O.K. set at k, 0.5% base o a.m. o
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7	# H-40 um a.m. on O.K. set at k, 0.5% base o a.m. o
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. cs. with 800# for : of 4-1/2" 10.5# J- D. Pozmex "A" 2% G rom caliper log fr	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base o a.m. o a.m. o
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base o a.m. o a.m. o
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base o a.m. on eld
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calci wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base o a.m. o a.m. o
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base of a.m. of eld
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150 ¹ , the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base on a.m. on eld ED
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150 ¹ , the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base on a.m. on eld ED
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 7981 ented w/400 so . 301 of ceme nt after 18 hi s 40901 - o lass "C" 50-50 calculated fo dded 431 of	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150 ¹ , the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base on a.m. on eld ED
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 Al00'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	on 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent. o'. Ran 102 jts w/550 sacks Cl Le. Cement was 5% excess was ac i casing and cer	tal Depth 7981 ented w/400 sz . 30' of ceme nt after 18 hn s 4090' - o lass "C" 50-50 calculated fr dded. 43' of ment with 1000	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for : of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base on a.m. on eld ED
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 Al00'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	n 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was	tal Depth 798 anted w/400 sp . 30' of ceme nt after 18 hn s 4090' - o lass "C" 50-50 calculated fo dded. 43' of ment with 1000	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi D# for 30 minutes	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h RECEN ARIESIA, NE	# H-40 um a.m. on O.K. set at k, 0.5% base o: a.m. on eld ED 976 N MEXIGO
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 Al00'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	on 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent. o'. Ran 102 jts w/550 sacks Cl Le. Cement was 5% excess was ac i casing and cer	tal Depth 7981 ented w/400 sz . 30' of ceme nt after 18 hn s 4090' - o lass "C" 50-50 calculated fr dded. 43' of ment with 1000	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi D# for 30 minutes	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150 ¹ , the g down at 7 hrs. and h	# H-40 um a.m. on O.K. set at k, 0.5% base o: a.m. on eld ED 976 N MEXIGO
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 A100'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	at the foregoing is true a Multiple and cemer at the foregoing is true a and cemer at the foregoing is true and a at the foregoing is true a at the foregoing is true and a at the foregoing is true at the foregoing is the foregoing is true at the foregoing is the foregoing is true at the foregoing is the foregoing is the foregoing is t	tal Depth 798 ented w/400 sz . 30' of ceme nt after 18 hn s 4090' - of lass "C" 50-56 calculated fr dded. 43' of ment with 1000 and correct <u>C</u>	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi D# for 30 minutes	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h RECEN ARIESIA, NE	# H-40 um a.m. on O.K. set at k, 0.5% base o: a.m. on eld ED 976 N MEXIGO
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 Al00'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	on 1-10-76. Tot at 790'. Ceme lated 30 sacks. pipe and cemer ent. o'. Ran 102 jts w/550 sacks Cl Le. Cement was 5% excess was ac i casing and cer	tal Depth 7981 ented w/400 sz . 30' of ceme nt after 18 hi s 4090' - o lass "C" 50-50 calculated fr dded. 43' of ment with 1000	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi D# for 30 minutes	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h RECEN ARIESIA, NE	# H-40 um a.m. on O.K. set at k, 0.5% base o: a.m. on eld ED 976 N MEXIGO
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 Al00'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was % excess was ac i casing and cer http://www. deral or State office use)	tal Depth 798 ented w/400 sz . 30' of ceme nt after 18 hn s 4090' - of lass "C" 50-56 calculated fr dded. 43' of ment with 1000 and correct <u>C</u>	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi D# for 30 minutes	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h KECEN JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29	# H-40 um a.m. on O.K. set at k, 0.5% base o: a.m. on eld ED 976 N MEXIGO
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 Al00'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	at the foregoing is true a Multiple and cemer at the foregoing is true a and cemer at the foregoing is true and a at the foregoing is true a at the foregoing is true and a at the foregoing is true at the foregoing is the foregoing is true at the foregoing is the foregoing is true at the foregoing is the foregoing is the foregoing i	tal Depth 7981 ented w/400 sz . 30' of ceme nt after 18 hi s 4090' - o lass "C" 50-50 calculated fr dded. 43' of ment with 1000	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi D# for 30 minutes	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h RECEN JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29	# H-40 um a.m. on O.K. set at k, 0.5% base o: a.m. of eld ED 1976 N MEXICO X-76
Spudded 5 p.m. o S.T.&C. csg.&set Chloride. Circu 1-12-76. Tested Drilled out ceme Total Depth 4100 Al00'. Cemented CFR-Z and Flocel the salt, and 29 1-25-76. Tested o.k.	at 790'. Ceme lated 30 sacks. pipe and cemer ent.). Ran 102 jts w/550 sacks Cl e. Cement was % excess was ac i casing and cer http://www. deral or State office use)	tal Depth 7981 ented w/400 sz . 30' of ceme nt after 18 hi s 4090' - o lass "C" 50-50 calculated fr dded. 43' of ment with 1000	A. Ran 13 jts ' cs. of Class "C" co ent left in pipe. rs. with 800# for of 4-1/2" 10.5# J- D Pozmex "A" 2% G rom caliper log fr cement left in pi D# for 30 minutes	778' - o ement pl Plug do 30 minut 55 S.T.& el, 8# s om TD to pe. Plu after 18	f 8-5/8" 23 us 2% Calcin wn at 8:45 es and held C. csg. and alt per sac 2150', the g down at 7 hrs. and h KECEN JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29 JAN 29	# H-40 um a.m. on O.K. set at k, 0.5% base o: a.m. of eld ED 1976 N MEXICO X-76